


The background of the entire page is a photograph of a dark, star-filled night sky. A dark, silhouetted mountain range is visible at the bottom. The right side of the image has a solid dark teal vertical bar.

# airworks

CATALOGUE 2023

**FIM**  
airworks



**FIM**  
airworks

[www.fimhoods.com](http://www.fimhoods.com)

# airworks

FIM, brand dell'azienda Sil Fim, nasce, cresce e si sviluppa grazie al suo DNA manifatturiero, che coniuga la ricerca costante di nuove soluzioni, materiali e processi di lavorazione, con la tenacia, la concretezza e la dedizione al prodotto.

FIM fa parte di un'azienda plurale, fatta di mani, teste e cuore, motori di energie e risorse in costante evoluzione, capaci di mettersi in relazione e al servizio di mercati e realtà industriali di portata globale.

FIM è la sintesi esatta del trattamento dell'aria, Airworks, come affermazione del paradigma di un mondo industriale che interpreta i tratti più profondi del rapporto tra uomo, tecnologia e territorio.

FIM, a brand of the Sil Fim company, has the manufacturing spirit in its DNA. It owes its birth, growth, and development to this spirit, combining a constant effort in developing new solutions, materials, and production techniques with determination, pragmatism, and dedication to the product.

FIM is part of a company made up of many people, many hands, heads, and hearts. Many engines that keep energies and resources constantly moving and evolving, to be able to interact with and serve international markets and players.

FIM is the ultimate synthesis of air treatment, Airworks, the paradigm of a model of industry that has the relationship between man, technology, and territory at its core.



# Index

Shaping our company

6

Extractor hobs

34

TOLOMEO 36

Downdraft

40

COPERNICO 42

KEPLERO 46

LAGRANGE 48

NEWTON 49

Island

52

PLEAT 54

OFLUOCO ISLAND 56

ARA 58

PERSEUS 60

SCULPTOR ISLAND 62

PAVO 64

AQUILA ISLAND 66

PYXIS ISLAND 67

PYXIS PLUS ISLAND 68

BOOTE PLUS ISLAND 70

NORMA ISLAND 72

LEO ISLAND 73

GRUS 74

SAGITTA 76

CIRCINUS 78

IOVEM 80

HERCULES ISLAND 82

CHAMELEON ISLAND 83

TAURUS 84

Ceiling

86



ORION 88 URSA 90 URSA STRIP 92 URSA GLASS 93 URSA GLASS STRIP 94 SCUTUM 96



CENTAURUS 97 PEGASUS 98 DORADO 100 VOLANS 101

Built-in

102



POLLUCE 104 CASTORE 106 AVIOR 107 ALDEBARAN 108 SHEDIR 109 CANOPO AIRMATE 110



CANOPO PLUS 111 CANOPO 112 HADAR 113 REGOLO 114

Wall

116



PICTOR 118 LEO 120 TUCANA 121 OFIUCO 122 SCULPTOR 124 MENSA 126



NORMA 128 AQUILA 129 PYXIS 130 PYXIS PLUS 131 MONOCEROS 132 APUS 133



HERCULES 134 CHAMELEON 135

Remote Blowers

136

Accessories


140

Contacts

154

# Shaping our design

FIM - AIRWORKS



## Il nostro design si modella intorno alla funzione.

Produciamo cappe aspiranti e accessori di arredo di alta qualità dal 1985. Dalla progettazione alla produzione, fino ai test di controllo qualità, ogni fase del processo è realizzata in Italia, all'interno del nostro stabilimento di Jesi, nelle Marche.

Proprio per questo siamo in grado di personalizzare i nostri prodotti, dalle misure ai colori, per soddisfare ogni specifica esigenza.

La creazione di una cappa aspirante inizia proprio dalla sua funzione e il design deve contribuire a garantire prestazioni eccezionali, senza esitazioni.

## Our designs are modelled around function.

We have been making high-end kitchen hoods and furnishings since 1985. Each stage of the manufacturing process – from development, to production, to quality control tests – takes place in Italy, in our plant in Jesi, in the Marche region.

This is why we are able to offer fully customized products, made-to-order in personalized colours, to satisfy every client's needs.

The creation of a kitchen hood must begin from its function, with design contributing to exceptional, faultless performance. In addition to manufacturing our own FIM branded products, we provide our services to OEM industries.



SHAPING OUR DESIGN

**Customized Size**

È possibile creare i prodotti con misure personalizzate su richiesta.

It's possible to create the products with customized sizes on request.

**Customized Color**

È possibile creare i prodotti con colorazioni personalizzate su richiesta.

It's possible to create the products with customized colors on request.

# Shaping our materials

## I nostri materiali riflettono forza e bellezza.

Lavorare l'acciaio è la nostra arte. Un'arte che si riconosce dalla volontà di selezionare le migliori materie prime, con spessori che assicurano durata e affidabilità nei dettagli di modellazione, saldatura, satinatura e nell'accoppiamento magistrale di superfici lineari e curve. Materiali diversi per stile e funzione, opere d'arte industriale prodotte totalmente all'interno delle nostre unità produttive.


In ogni fase, i nostri esperti esaminano il lavoro manualmente alla ricerca della perfezione. Grazie a questo controllo costante della qualità costruiamo prodotti eccellenti, frutto delle abilità dei nostri designer, delle mani dei nostri professionisti e della scelta dei materiali migliori.

## Our materials are a display of strength and beauty.

We approach steel working as if it were an artform: thus, we choose only the finest raw materials, with enough thickness to ensure durability and accuracy when shaping, welding, and satin-finishing the metal. We skilfully combine flat and curved surfaces. We know how to manufacture products with different materials, to achieve looks and serve different purposes: industrial masterworks entirely manufactured in-house.

At each stage of the process, our experts manually inspect the product to guarantee a perfect result. Thanks to such constant quality control we manufacture outstanding products the result of the skill of our designers the handywork of our craftsmen, and the choice of high-quality materials.





# Shaping our expertise

## La nostra esperienza è un motore di ricerca costante.


In quasi 40 anni di attività, rimane costante la volontà di realizzare prodotti eccellenti e il miglioramento continuo in tutte le fasi dello sviluppo del prodotto: dal design alla progettazione, dalla selezione dei materiali all'abilità nella loro lavorazione.

Ci guida la passione di capire quali siano le reali esigenze dei nostri clienti e, più in generale, dei consumatori finali. Chi usa i nostri prodotti deve sentirsi appagato dall'aver scelto il meglio, in termini di qualità e unicità dei dettagli.

## Our experience drives constant innovation.

In the course of nearly 40 years of activity, the will to make outstanding products has remained a constant. We strive for continuous improvement in all stages of manufacturing: from design, to development, to the choice of materials, and the skill in crafting them.

We are passionate about understanding and meeting our customers' needs, and the end users' needs in general. Those who use our products must feel entirely satisfied that they have chosen the best product available in terms of quality, care for details, and unique design.



# Shaping our technologies

## La nostra tecnologia si misura con la qualità della vita.

Dedichiamo la massima cura ad ogni fase di lavorazione. Con lo stesso approccio ci affidiamo all'utilizzo delle tecnologie più evolute, affiancati da partner internazionali estremamente specializzati, in grado di potenziare le prestazioni dei nostri prodotti.

L'integrazione tecnologica tocca tutti gli ambiti del trattamento dell'aria domestica, dalla sensoristica per automatizzare le funzioni e monitorare la qualità dell'aria, ad avanzati sistemi di filtrazione per la riduzione degli odori e per combattere virus ed allergeni. L'obiettivo è migliorare la vita in cucina, mettendo il benessere al primo posto.


## Our technology is measured by quality of life.

We devote the utmost care to every stage of manufacturing, and we take the same approach when it comes to technology: we make use of the most advanced technologies available, relying on specialized international partners to improve our products' performances.

Our products' technological content ensures all-round domestic air treatment, including sensors that monitor air quality and allow for automatic operation, as well as advanced filtration systems that reduce odours and protect from viruses and allergens. Our goal is to improve the quality of life in the kitchen, making well-being the main priority.



# Induction systems



I sistemi Induction systems sono stati progettati per porre rimedio al fenomeno della condensa. La condensa si può manifestare in caso di cottura prolungata con forte produzione di vapore. Il processo fisico che la determina si ha quando il vapore caldo che fuoriesce dalla pentola, trova una differenza di temperatura con la superficie della cappa con cui viene a contatto, creando le fastidiose goccioline. Nel caso dei piani cottura a gas, la fiamma riscalda per irraggiamento anche l'ambiente circostante, quindi il vapore trova una bassa differenza di temperatura e tende a fare poca condensa. Nel caso dei piani ad induzione invece, non esistendo una fiamma, il vapore trova un'alta differenza di temperatura con la superficie della cappa, creando molta condensa.

The Induction systems has been developed to remedy the formation of condensation. Condensation can occur in case of a long cooking with strong production of steam. The physical process that is creating condensation has to do with warm steam that comes out of the pot and meets a difference in the temperature with the surface of the extractor hood that touches: this gives as consequence the formation of water drops. When you have gas hobs the flame is making also the surroundings warm by irradiation, so the steam meets a lower difference in temperature and the formation of water drops is less. When you have induction hobs the flame is not existing, so the steam meets a high difference in the temperature when it goes into contact with the extractor-hood surface and this brings to a high formation of condensation.



## Induction System BASE

Sistema dotato di filtri a maglia in acciaio inox, inclinati, studiati per far condensare i vapori della cottura, i quali vengono convogliati per gravità e raccolti in un'apposita vaschetta, che può essere rimossa e svuotata per la pulizia.

System equipped with stainless steel mesh filters, inclined, designed to condense the cooking vapors, which are conveyed by gravity and collected in a special tray that can be removed and emptied for cleaning.

Aldebaran pag. 107



## Induction System TECH

Sistema dotato di un filtro altamente tecnologico in grado di creare un "gioco d'aria", grazie alla sua particolare geometria, che favorisce il convogliamento dei vapori fino alla completa captazione verso la vaschetta di cui è automunito. Il filtro contribuisce anche ad un design particolarmente tecnologico del prodotto.

System equipped with a high-tech filter able to create a "play of air" thanks to its particular geometry, facilitating the conveyance of vapors up to the complete collection towards the tank with which it is provided. The filter also contributes to a particularly technological design of the product.

Aquila island pag. 66  
Hercules island pag. 82  
Castore pag. 106  
Aquila pag. 129  
Hercules pag. 134



## Induction System PLUS

Sistema che elimina in maniera istantanea il problema della condensa grazie alle superfici in acciaio totalmente riscaldate per mezzo di un sistema d'irraggiamento elettrico a basso consumo, che favorisce la diminuzione del differenziale termico nel caso di cottura con piani ad induzione. System that instantly eliminates the problem of condensation thanks to the steel surfaces being totally heated by means of a low-consumption electric radiation system, which favors the reduction of the differential thermal when cooking with induction hobs.

Polluce pag. 104





# Filtering systems



## Cambiare l'aria che respiriamo

Tra i vari sistemi di filtraggio dell'aria utilizzati e sviluppati da Fim airworks, la tecnologia al plasma è tra i più efficienti metodi di purificazione dell'aria che riduce gli odori fino al 99%. Nessun filtraggio meccanico degli odori, ma una trasformazione molecolare da aria inquinata ad aria pulita. Elimina germi, batteri, virus, allergeni, fumo di sigaretta, ecc., e riduce il rischio di malattie ed infezioni.

Il sistema è usato da molti anni nelle cucine professionali in catene di ristoranti, per eliminare odori e fumo molto più densi dei fumi da cucina domestica ed ha sempre funzionato molto efficacemente.

## La tecnologia al plasma non filtra l'aria... la trasforma!

Il plasma attiva un processo chimico che cambia la composizione delle molecole dell'aria con un processo elettrico efficiente e sicuro. Nessuna aggiunta di sostanze chimiche, nessuna filtrazione meccanica. L'aria trattata, all'uscita del sistema, contiene solo ossigeno, una piccola umidità residua e CO<sub>2</sub>. Resta solo aria pura, la concentrazione di ozono all'esterno del filtro al plasma è zero!

Il sistema funziona senza alcuna manutenzione per tutta la vita della cappa!

## Change the air you're breathing

Among the various air filtration systems used and developed by Fim airworks, plasma technology is one of the most efficient air purification methods with 99% of odour reduction. No filtering, no mechanical odour trapping, but a physical air transformation from polluted to clean air. It extinguish germs, bacteria, viruses and allergens, cigarette smoke, etc., and lower the risk of illness and infections.

It is used since many years in professional kitchens by restaurant chains, and in food processing, to eliminate odors and smoke which are much denser than cooking fumes in private households, and always worked very effectively.

## With plasma you don't filter the air... you treat it!

Plasma is a chemical process which change the molecules composition with an efficient and safe electrical process. There are no added chemicals, no mechanical filtering. Final products after filtration are only oxygen, a small residual humidity and CO<sub>2</sub>. This is just pure air, the ozone concentration on the outside the plasma reaction device is zero!


The plasma filter works without maintenance for the entire cooker hood's life!

Filtri al plasma pag. 142  
Plasma filters pag. 142

Modulo plasma  
Plasma module



Aria inquinata  
Polluted air





## AirMate

### Un compagno fidato in cucina

La nuova tecnologia intelligente e integrata **AirMate** porta un nuovo livello di comfort e cura in cucina.

Il sistema AirMate automatizza sia la ventilazione che l'illuminazione, oltre a offrire un'integrazione smarthome e smartphone.

La cappa è dotata di 11 sensori integrati che misurano una serie di caratteristiche di qualità dell'aria, come particelle fini (PM2.5), composti organici volatili totali (TVOC), CO<sub>2</sub>, umidità, temperatura e movimento. Utilizzando una varietà di algoritmi complessi, la cappa sa esattamente come rispondere per garantire una ventilazione ottimale regolando la velocità di estrazione, garantendo così una cottura senza problemi, livelli minimi di rumore, un consumo energetico e una sana qualità dell'aria interna per tutto il giorno.

La cappa continuerà a ventilare in modalità silenziosa una volta terminata la cottura, fino a quando la qualità dell'aria non sarà ripristinata alla normalità.

Anche le luci a LED automatiche, con luce dimmerabile e dinamica per la temperatura del colore, sono in grado di adattarsi in ogni ambiente allo stile della cucina.

Canopo AirMate pág. 110

Scopri di più  
Discover more



### A reliable ally in the kitchen

The new **AirMate** smart and integrated technology brings a new level of comfort and care in the kitchen.

The AirMate system automates both ventilation and lighting, as well as offering smart home and smartphone integration.

The hood is equipped with 11 built-in sensors to measure a range of air quality characteristics, such as fine particles (PM2.5), total volatile organic compounds (TVOC), CO<sub>2</sub>, humidity, temperature, and movement. Using a variety of complex algorithms, the hood knows exactly how to perform to ensure optimal ventilation by adjusting the extraction speed, thus guaranteeing trouble-free cooking, minimal noise levels, energy consumption and healthy indoor air quality throughout the day. After cooking, the hood will continue to ventilate in silent mode until the air quality is restored to normal.

Even the automatic LED lights, with dimmable and dynamic light for the color temperature, are able to adapt to the style of the kitchen in any environment.



# Professional



Le Cappe Professional sono dotate di un motore altamente performante con diametro di uscita di 200 mm e di filtri in acciaio che donano al prodotto il design tipico delle cucine industriali. L'aria in aspirazione viene costretta nel "percorso a labirinto" dei filtri aumentando il grado di captazione dei grassi che vengono convogliati per gravità e raccolti in un'apposita vaschetta.

Sono lavabili in lavastoviglie, facilmente pulibili e di lunga durata.



# Dynamic Light



Alcuni modelli sono dotati di illuminazione led che consente di variare la temperatura del colore della luce da 3000 a 5700 Kelvin, quindi passare dalla tonalità di luce bianco caldo a bianco freddo così da rendere l'area illuminata più confortevole.

Some models are equipped with LED lighting which allows you to change the colour temperature of the light from 3000 to 5700 Kelvin, so you can go from warm white light to cold white light and the area is more comfortable.



# I plus che migliorano le prestazioni della cappa

## Plus that are improving the performance of the extractor hood



### PERIMETRAL

Il sistema di aspirazione denominato perimetrale convoglia i fumi lateralmente a dei pannelli estetici consentendo di migliorare il design del prodotto, diminuire la rumorosità della cappa, aumentare la captazione dei fumi e semplificare le operazioni di pulizia del prodotto.

This is a system called perimetral aspiration which conveys the fumes on the sides of the panels, allowing to have a nicer design, to reduce the noise of the hood, to increase the capturing of the fumes and to simplify the cleaning operations of the products.



### INTENSIVE

Il sistema di aspirazione denominato perimetrale convoglia i fumi lateralmente a dei pannelli estetici consentendo di migliorare il design del prodotto, diminuire la rumorosità della cappa, aumentare la captazione dei fumi e semplificare le operazioni di pulizia del prodotto.

It activates the motor at the highest speed for a certain period of time, and then it automatically reduces the speed. This function is useful in the cooking phases where a lot of fumes are produced.



### TIMER

Terminata la cottura consente di far funzionare l'aspirazione della cappa per un tempo sufficiente a smaltire completamente i fumi e gli odori residui. Trascorso tale intervallo l'aspirazione della cappa si arresta automaticamente.

When you have finished the cooking, this function allows to have the hood working for a certain period of time to complete elimination of the fumes and the remained odors. After that period of time the hood switches off in an automatic way.



### FILTER ALARM

Il comando avvisa automaticamente quando è necessario fare la manutenzione prevista dei filtri antigraso e carbone nel caso di utilizzo della cappa in modalità filtrante.

The controls is giving automatic advice when it is necessary to do maintenance both of the carbon and the grease filters.



### AIR EXCHANGE

Consente di programmare l'avvio della ventilazione in modo automatico e periodico nel corso della giornata. Tale funzione è utile per garantire un ricambio d'aria continuo. La funzione si disinserisce automaticamente con il normale utilizzo della cappa.

This function allows to plan the start of the aspiration in automatic way during the day. This function is useful to guarantee a continuous air exchange. You exclude the function in an automatic way with the normal use of the cooker hood.



### LED LIGHT

Le cappe aspiranti sono dotate di illuminazione led che consente di ridurre consumi e temperatura di esercizio ottenendo alta efficienza e affidabilità nel tempo.

The cooker hoods are equipped with led lighting that are allowing to reduce both consumption and working temperature, obtaining long time lasting efficiency and reliability.



### DIMMABLE LIGHT

Rende possibile variare l'intensità della luce, consentendo di personalizzare a proprio piacimento l'illuminazione led.


It is possible to change light intensity, enabling to have a customized led light.



### REMOTE CONTROL

Con il suo design, sottile e leggero, consente di attivare a distanza tutte le funzioni della cappa. E' fornito di serie su alcuni modelli e su altri può essere acquistato separatamente.

With its design, thin and light, it allows to activate all the functions at distance. On some models it is delivered with the hoods, on other models it can be purchased separately.



# Quality and environment




La proprietà della SIL FIM ha stabilito di basare la gestione aziendale su un Sistema di Gestione per la Qualità ed Ambiente, conforme ai principi delle Norme UNI EN ISO 9001: 2015 e UN EN ISO 14001: 2015. Tale sistema si concretizza in azioni organizzative e tecniche applicate a tutti i settori aziendali, volte ad ottenere la piena soddisfazione dei propri clienti ed il miglioramento continuo dei propri prodotti nel rispetto delle risorse ambientali.

SIL FIM property decided to base the handling of the company on a QUALITY SYSTEM FOR PRODUCTION and ENVIRONMENT compliant with the following norms: UNI EN ISO 9001: 2015 and UN EN ISO 14001: 2015. This system is based on organization and technical actions applied to all departments of the company, these actions are meant to get the full satisfaction of the customers and the continuous improvement of the products taking the ambience/environment into the highest consideration.



## Energy label



Per tutti i nostri prodotti è possibile visualizzare l'etichetta energetica (versione Europa e Turchia) e le informazioni dettagliate (product fiche). In ogni scheda tecnica delle nostre cappe trovate la voce CLASSE ENERGETICA con l'indicazione della classe del prodotto. L'immagine mostra come leggere l'etichetta energetica:

1. Nome o marchio del fornitore.
2. Codice ID del modello.
3. Classe di efficienza energetica. La puntadella freccia contenente la classe energetica del modello si trova all'altezza della punta della freccia indicante la relativa classe di efficienza energetica.
4. Consumo annuo di energia, espresso in kWh, arrotondato alla cifra intera più vicina. Per il calcolo sono presi in considerazione dei fattori standard quali la durata media di funzionamento giornaliero, ovvero 60 minuti, la durata media di illuminazione giornaliera, ovvero 120 minuti, ed un utilizzo per 365 giorni.
5. Classe di efficienza fluidodinamica.
6. Classe di efficienza luminosa, determinata dal rapporto tra l'illuminamento medio della superficie di cottura (espresso in lux) e la potenza nominale assorbita in watt.
7. Classe di efficienza di filtraggio, espresso in base alla percentuale di grasso rimasta nei filtri antigrasso della cappa.
8. Indica il livello di rumore in dB, misurato sotto forma di potenza sonora della cappa azionata alla potenza massima di uso normale.

For each products you can view the energy label (version Europe and Turkey) and detailed information (product fiche). In each sheet of our hoods you find the item ENERGY CLASS indicating the class of the product. The image shows how to read the energy label:

1. Supplier's name or trade mark.
2. ID code model identifier.
3. The Energy efficiency class. The head of the arrow containing the energy efficiency class of the domestic range hood shall be placed at the same height as the head of the arrow of the relevant energy efficiency class.
4. The Annual energy consumption (AEC hood) in kWh rounded to the nearest integer. For the calculation standard factor are considered like the average running time per day, 60 minutes, the average lighting time per day, 120 minutes and a use of 365 days.
5. The Fluid Dynamic Efficiency.
6. The lighting Efficiency class determined by the ratio between the average illumination (in lux) and the nominal electric power of the lighting system.
7. The Grease Efficiency class means the relative amount of grease retained within the range hood grease filters.
8. The noise value (in dB) measured as the Airborne acoustical A-weighted sound power emissions at the highest setting for normal use.



**fw**  
airworks

# Piani aspiranti Extractor hobs

## Fusione in cucina

I Piani aspiranti ad induzione coniugano aspirazione e cottura in un unico elettrodomestico e con il loro sistema di aspirazione centrale direttamente sul piano raggiungono livelli elevati di captazione dei fumi ed efficienza energetica.

La posizione del motore, posto sotto la griglia di aspirazione, garantisce di poter avere un maggiore spazio utile nel mobile della cucina. Inoltre i comandi touch control consentono un funzionamento ottimale mantenendo sempre ideale il clima della cucina.

## Fusion in the Kitchen

The Extractor hobs are coupling aspiration and cooking in one appliance and with their central aspiration system directly on the hob can reach high levels of fumes captation and energy values.

The position of the motor, placed under the aspiration grid, enables to have more space to be used in the kitchen cabinet. The touch controls allow perfect operations, always keeping the best climate in the kitchen.



# Tolomeo



FIM - AIRWORKS

## Features

**Size**  
60/83 cm  
**Version**  
Aspirante/Filtrante (optional)  
Suction/Filtering (optional)  
**Controls**  
Touch control white/red + Slider  
8+2 I (cappa hood), 9+I (piano hob)

## Finish

+   
Vetro nero + Griglia alluminio nero opaco  
Black glass + Matt black aluminium grid

Vetro nero + Griglia alluminio nero opaco  
Black glass + Matt black aluminium grid

## Performance

### CAPPA HOOD

Airflow

620 m<sup>3</sup>/h

### Pressure

650 Pa

### Noise level

44 Min / 63 max Iw[dba]

### Motor power

220 W

### Duct size

220x90 / 220x60 mm

### Energy Class

A++

### PIANO A INDUZIONE INDUCTION HOB

#### Total absorption

7,4 kW

#### Frequency

50 - 60 Hz

#### Voltage

220 - 240 V

#### Cooking zones

4 (2,1 - 3,7 kW)

#### Bridge zones

2 (4,2 - 7,4 kW)

## Accessories

### Kit di canalizzazione

Ducting kit

K04008KIT

### Kit griglia di aspirazione

Ducting grid kit

RAK2536626

### Kit filtrante long life

Long life filtering kit

K04008KITF.2

### Kit filtrante ceramico

Ceramic filtering kit

K04008KITF.4



## Model

TOLOMEO LED RED


TOLOMEO 60 LED RED

TOLOMEO LED WHITE

TOLOMEO 60 LED WHITE

Scopri di più  
Discover more





#### Induction functions

- |   |   |  |
|---|---|--|
|  <b>Power limiter</b><br>Regola l'assorbimento di potenza scegliendo tra diversi livelli.<br>Set different levels of power absorption. |  <b>Warm</b><br>Mantiene i cibi cucinati in caldo.<br>Keep food warm.  |  <b>Bridge</b><br>Unisce due zone di cottura.<br>Pairs up two cook zones.                               |
|  <b>Booster</b><br>Aumenta drasticamente la potenza della zona di cottura.<br>Increase the working power of the cooking zone.          |  <b>Lock</b><br>Blocco per la sicurezza e Funzione di blocco per una rapida pulizia.<br>Child safety lock and Locking function for rapid cleaning. |  <b>Timer</b><br>Seleziona un tempo della zona di cottura.<br>Select a time of the cooking zone.        |
|  <b>Pan detection</b><br>La zona di cottura riconosce la pentola al suo posto.<br>The cooking zones recognizes the pan in its place.   |  <b>Pause</b><br>Mette in pausa momentaneamente la cottura.<br>Pause the cooking zones.  |  <b>Minute minder</b><br>Imposta un conto alla rovescia sul piano.<br>Set a count-down time on the hob. |



# Downdraft

La fusione tra design e tecnologia dona a questi modelli il dono dell'invisibilità, dato che essendo incassati sul mobile della cucina lasciano ampio spazio intorno alla zona di cottura.

Questi modelli hanno la particolarità di poter aspirare i vapori direttamente dal piano di cottura; questo rende l'aspirazione efficace e particolarmente adatta a cucine molto grandi in cui i fumi si possono disperdere nell'ambiente con più facilità.

I modelli Downdraft sono posizionati dietro il piano cottura e sono facilitati nell'aspirazione grazie al loro sistema motorizzato.

Un'altra particolarità è data dal motore di aspirazione, inserito nel mobile, oppure installato in un altro vano interno alla casa o esternamente che permette di risparmiare spazio.

COPERNICO	42
KEPLERO	46
LAGRANGE	48
NEWTON	49

The combination of design and technology gives to these models the gift of invisibility: as integrated in the working top they leave a lot of space around the cooking zone.

This models can suck the vapours directly from the cooking hob; this is making the aspiration very performing and suitable for big kitchens where the fumes can travel in the room more easily.

The Downdraft models are placed inside the cooking hob and are having their sucking operations made easier by the system with motor. Another special feature is the motor, also integrated into the cabinet or installed in a separate room internal or external place of the house, which allows to save space.



# Copernico



FIM - AIRWORKS

**Features**

**Size**  
205 cm  
**Version**  
Aspirante / Filtrante (optional)  
Suction / Filtering (optional)

**Controls**  
Electronic + Remote control 3+1

**Lighting**  
Fascia led dimmerabile  
Dimmable led strip  
2x38W

**Accessories**

**Kit filtrante long life da zoccolo**  
Plinth long life filtering kit  
K06395KITF1

**Kit filtrante ceramico da zoccolo**  
Plinth ceramic filtering kit  
K06395KITF2

**Performance**


**Airflow**  
650 m<sup>3</sup>/h  
**Pressure**  
445 Pa  
**Noise level**  
49 min – 64 max Iw[dba]  
**Motor power**  
265 W  
**Duct size**  
220x90/220x60 mm  
**Energy Class**  
C

Il funzionamento ottimale dell'aspirazione avviene in abbinamento a piani cottura con fuochi in linea.  
The optimal operation of the aspiration is with hobs in-line cooking zones

**Finish**




Nero opaco + Vetro fumè  
Matt black + Smoke glass



ACCESSORI INCLUSI / ACCESSORIES INCLUDED

**Portabottiglie**  
Bottle holder



**Porta prese di corrente**  
Power socket older



**Porta spezie**  
Spice holder



**Kit 2 porta spezie**  
2 Spice holder kit



DOWNDRAFT





## Features

**Size**  
180 cm  
**Version**  
Aspirante / Filtrante (opzionale)  
Suction / Filtering (optional)  
**Controls**  
Touch Control 3+1  
Remote control 3+1  
**Lighting**  
Fascia led dimmerabile  
Dimmable led strip  
1x15W

## Accessories

**Kit filtrante long life da zoccolo**  
Plinth long life filtering kit  
K06395KITF1  
**Kit filtrante ceramico da zoccolo**  
Plinth ceramic filtering kit  
K06395KITF2

## Performance




**Airflow**  
750 m<sup>3</sup>/h  
**Pressure**  
570 Pa  
**Noise level**  
52 Min / 67 max Iw[dba]  
**Motor power**  
2x144 W  
**Duct size**  
220x90 mm  
**Energy Class**  
C

Il funzionamento ottimale dell'aspirazione avviene in abbinamento a piani cottura con fuochi in linea.  
The optimal operation of the aspiration is with hobs in-line cooking zones.

## Finish



Nero opaco  
Matt black



# Lagrange



## Features

**Size**  
86/116 cm  
**Version**  
Aspirante / Filtrante (opzionale)  
Suction / Filtering (optional)

**Controls**  
Electronic 3+1  
**Lighting**  
Fascia led Led strip  
1x10W (86)  
1x16W (116)

## Accessories

**Radiocomando** Remote control  
R01319006

**Kit filtrante long life da zoccolo**  
Plinth long life filtering kit  
K06395KITF1

**Kit filtranteceramico da zoccolo**  
Plinth ceramic filtering kit  
K06395KITF2

## Performance

**Airflow**  
650 m<sup>3</sup>/h  
**Pressure**  
445 Pa  
**Noise level**  
49 min – 64 max Iw[dba]  
**Motor power**  
265 W  
**Duct size**  
Ø150 mm  
**Energy Class**  
C

Il funzionamento ottimale dell'aspirazione avviene in abbinamento a piani cottura con fuochi in linea.

The optimal aspiration of the downdraft is with hobs in-line cooking zones

## Finish



Acciaio inox satinato  
Nero opaco  
Stainless steel satin  
Matt black

## Model

LAGRANGE 90 INOX  
LAGRANGE 120 INOX

LAGRANGE 90 BLACK  
LAGRANGE 120 BLACK

# Newton



## Features

**Size**  
56 / 86 / 116 cm  
**Version**  
Aspirante / Filtrante (opzionale)  
Suction / Filtering (optional)  
**Controls**  
Touch Control 3+1  
Remote control 3+1  
**Lighting**  
Fascia led led strip  
1x4,5W (56) / 1x7,8W (86)  
1x11,2W (116)


## Accessories

**Kit filtrante long life da zoccolo**  
Plinth long life filtering kit  
K06395KITF1  
**Kit filtranteceramico da zoccolo**  
Plinth ceramic filtering kit  
K06395KITF2


## Model

NEWTON 60 INOX  
NEWTON 90 INOX  
NEWTON 120 INOX




NEWTON 60 BLACK  
NEWTON 90 BLACK  
NEWTON 120 BLACK





**Montaggio standard**  
Standard mounting



**Montaggio a filo**  
Flush mounting



**Model**

NEWTON PANEL 60 INOX  
NEWTON PANEL 90 INOX  
NEWTON PANEL 120 INOX

NEWTON PANEL 60 BLACK  
NEWTON PANEL 90 BLACK  
NEWTON PANEL 120 BLACK

# Isola Island

Le Cappe ad isola con la loro facoltà di libera installazione e poste sopra al piano cottura, in modo da aspirare direttamente i fumi che si producono, ricoprono il ruolo di protagoniste come massimo elemento di design per le cucine più prestigiose.


Acciaio inox, vetro, tiranti, pannelli...sono solo alcuni degli elementi che caratterizzano la regina dell'aspirazione e la rendono un elemento distintivo nell'architettura della cucina.

Island hoods with their possibilities to be freely installed above the cooking hob and take directly the fumes produced, are the real main character as highest design element for the best design kitchens.

Stainless Steel, Glass, bars, panels...are just some of the elements featuring the King Element of aspiration in the kitchen architecture.

PLEAT	54	NORMA ISLAND	72
OFLUOCO ISLAND	56	LEO ISLAND	73
ARA	58	GRUS	74
PERSEUS	60	SAGITTA	76
SCULPTOR ISLAND	62	CIRCINUS	78
PAVO	64	IOVEM	80
AQUILA ISLAND	66	HERCULES ISLAND	82
PYXIS ISLAND	67	CHARMELEON ISLAND	83
PYXIS PLUS ISLAND	68	TAURUS	84
BOOTE PLUS ISLAND	70		





## Features

<b>Size</b>	210 cm
<b>Version</b>	Aspirante
<b>Suction</b>	
<b>Controls</b>	Electronic 3+1
	Remote control 3+1
<b>Lighting</b>	Fascia led
	Led strip
	2x16W

## Performance


<b>Airflow</b>	550 m <sup>3</sup> /h
<b>Pressure</b>	710 Pa
<b>Noise level</b>	45 Min / 60 max Iw[dba]
<b>Motor power</b>	270 W
<b>Duct size</b>	Ø150 mm
<b>Energy Class</b>	B

## Finish




Nero opaco + colore personalizzato su richiesta  
Matt black + custom color on request

## Destra Right



## Sinistra Left



# Ofiuco island




Features
<b>Hood Size</b> 90/120 cm
<b>Shelf Size</b> 60/90/120 cm
<b>Led bar Size</b> 150/180/210/240 cm
<b>Version</b> Aspirante/Filtrante (opzionale) Suction/Filtering (optional)
<b>Controls</b> Remote control 3+1
<b>Lighting</b> Fascia led Led strip 1x16,9W (150), 1x20,2W (180), 1x23,6W (210), 1x27,0W (240)

Accessories
<b>Kit filtrante</b> Filtering kit K01251KIT
<b>Filtro carbone rettangolare</b> Rectangular charcoal filter R55046266
<b>Filtro carbone cilindrico</b> Cylindrical charcoal filter R55046241
Filtro carbone rettangolare incluso nel kit filtrante Rectangular charcoal filter included in the filtering kit

Nero opaco  
Matt black

Performance
<b>Airflow</b> 700 m <sup>3</sup> /h
<b>Pressure</b> 520 Pa
<b>Noise level</b> 46 Min / 58 max Iw[dba]
<b>Motor power</b> 240 W
<b>Duct size</b> Ø150 mm
<b>Energy Class</b> A+

## Finish



## Model

OFIUCO ISLAND HOOD 90
OFIUCO ISLAND HOOD120
OFIUCO ISLAND SHELF 60
OFIUCO ISLAND SHELF 90
OFIUCO ISLAND SHELF 120
OFIUCO ISLAND LED BAR 150
OFIUCO ISLAND LED BAR 180
OFIUCO ISLAND LED BAR 210
OFIUCO ISLAND LED BAR 240





**Features**


**Size**  
150/180/240 cm  
**Version**  
Aspirante / Filtrante (opzionale)  
Suction / Filtering (optional)

**Controls**  
Touch control 3+,  
Remote control 3+I

**Lighting**  
Fascia led dimmerabile  
Dimmable led strip  
2x14W (150)  
2x17W (180)  
2x23W (240)

**Performance**

**Airflow**  
700 m<sup>3</sup>/h  
**Pressure**  
520 Pa  
**Noise level**  
46 Min / 58 max Iw[dba]  
**Motor power**  
240 W  
**Duct size**  
Ø150 mm  
**Energy Class**  
A+

**Accessories**

**Kit filtrante** Filtering kit  
K01251KIT

**Filtro carbone rettangolare**  
Rectangular charcoal filter  
R55046266

**Filtro carbone cilindrico**  
Cylindrical charcoal filter  
R55046241

Filtro carbone rettangolare  
incluso nel kit filtrante  
Rectangular charcoal filter  
included in the filtering kit

**Finish**

Acciaio Inox satinato  
Nero opaco  
S/steel satin  
Matt black

**Model**

ARA 150 INOX  
ARA 180 INOX  
ARA 240 INOX

ARA 150 BLACK  
ARA 180 BLACK  
ARA 240 BLACK






**Features**

**Hood Size**  
90/120 cm  
**Shelf Size**  
60/90/120 cm  
(Altezza personalizzata su richiesta)  
Custom height on request  
**Version**  
Aspirante / Filtrante (opzionale)  
Suction / Filtering (optional)  
**Controls**  
Remote control 3+  
**Lighting**  
Fascia led dimmerabile  
Dimmable led strip  
1x9W (90), 1x12W (120)

**Performance**

**Airflow**  
700 m<sup>3</sup>/h  
**Pressure**  
520 Pa  
**Noise level**  
46 Min / 58 max Iw[dba]  
**Motor power**  
240 W  
**Duct size**  
Ø150 mm  
**Energy Class**  
A+




**Accessories**

**Kit filtrante** Filtering kit  
K01251KIT  
**Filtro carbone rettangolare** Rectangular charcoal filter  
R55046266  
**Filtro carbone cilindrico** Cylindrical charcoal filter  
R55046241

Filtro carbone rettangolare incluso nel kit filtrante  
Rectangular charcoal filter included in the filtering kit

**Finish**  
● + ●  
Nero opaco + Vetro fumè  
Colore personalizzato su richiesta  
Matt black + Smoke glass  
Custom color on request



**Modelo**

PERSEUS HOOD 90  
PERSEUS HOOD 120  
PERSEUS SHELF 60  
PERSEUS SHELF 90  
PERSEUS SHELF 120



# Sculptor Island



FIM - AIRWORKS



Features
<b>Hood Size</b> 90/120 cm
<b>Shelf Size</b> 45/60/90/120 cm
<b>Version</b> Filtrante Filtering
<b>Controls</b> Remote control 3+1
<b>Lighting</b> Fascia led dimmerabile/dinamica Dimmable/ dynamic led strip 1x4W (45), 1x5,3W (60) 1x6,6W (90), 1x10,6W (120)



Performance
<b>Airflow</b> 600 m <sup>3</sup> /h
<b>Pressure</b> *
<b>Noise level</b> 61 Min / 68 max Iw[dba]
<b>Motor power</b> 270 W
<b>Energy Class</b> *

\* Dato non previsto per cappa filtrante Data not provided for filtering hood

Accessories
<b>Filtro carbone piano</b> Base charcoal filter R55046232
Filtro carbone incluso Charcoal filter included

Finish
○ + ○      ● + ● Acciaio inox satinato + Vetro fumè Nero opaco + Vetro fumè S.steel satin + Smoke glass Matt black + Smoke glass

Model
SCULPTOR ISLAND HOOD 90 INOX
SCULPTOR ISLAND HOOD 120 INOX
SCULPTOR ISLAND SHELF 45 INOX
SCULPTOR ISLAND SHELF 60 INOX
SCULPTOR ISLAND SHELF 90 INOX
SCULPTOR ISLAND SHELF 120 INOX
SCULPTOR ISLAND HOOD 90 BLACK
SCULPTOR ISLAND HOOD 120 BLACK
SCULPTOR ISLAND SHELF 45 BLACK
SCULPTOR ISLAND SHELF 60 BLACK
SCULPTOR ISLAND SHELF 90 BLACK
SCULPTOR ISLAND SHELF 120 BLACK



**Features**

**Size**  
120/150 cm  
**Version**  
Aspirante / Filtrante (opzionale)  
Suction / Filtering (optional)  
**Controls**  
Touch control 3+1,  
Remote control 3+1  
**Lighting**  
Faretto led dimmerabile  
Dimmable led lamps  
4x2,2W (120)  
6x2,2W (150)

**Accessories**

**Kit filtrante** Filtering kit  
K01175KIT  
**Filtro carbone rettangolare**  
Rectangular charcoal filter  
R55046266  
**Filtro carbone cilindrico**  
Cylindrical charcoal filter  
R55046241


Filtro carbone rettangolare  
incluso nel kit filtrante  
Rectangular charcoal filter included in the  
filtering kit

**Performance**

**Airflow**  
800 m<sup>3</sup>/h  
**Pressure**  
570 Pa  
**Noise level**  
45 Min / 60 max Iw[dba]  
**Motor power**  
265 W  
**Duct size**  
Ø150 mm  
**Energy Class**  
A

**Finish**

Acciaio inox satinato / Nero opaco + Vetro  
Colore personalizzato su richiesta  
S. steel satin / Matt black + Glass  
Custom colors on request

**Modelo**

PAVO 120 INOX  
PAVO 150 INOX  
PAVO 120 BLACK  
PAVO 150 BLACK



# Aquila Island



FIM - AIRWORKS

Features
<b>Size</b> 90 / 120 cm
<b>Version</b> Aspirante/Filtrante (opzionale) Suction/Filtering (optional)
<b>Controls</b> Touch control 3+1 Remote control 3+1
<b>Lighting</b> Fascia led Led strip 2x13W (90) / 2x17W (120)

## Accessories


**Filtro carbone cilindrico**  
Cylindrical charcoal filter  
R55046241

Performance
<b>Airflow</b> 800 m <sup>3</sup> /h
<b>Pressure</b> 570 Pa
<b>Noise level</b> 39 Min / 57 max Iw[dba]
<b>Motor power</b> 265 W
<b>Duct size</b> Ø 150 mm
<b>Energy Class</b> A

## Finish

Acciaio inox satinato / Nero opaco  
Colore personalizzato su richiesta  
S. steel satin / Matt black  
Custom color on request

## Induction System TECH



# Pyxis Island



ISLAND

Features
<b>Size</b> 90 / 120 cm
<b>Version</b> Aspirante/Filtrante (opzionale) Suction/Filtering (optional)
<b>Controls</b> Touch control 3+1 Remote control 3+1
<b>Lighting</b> Fascia led dimmerabile / dinamica Dimmable / dynamic led strip 2x9,2W (90) / 2x10,6W (120)

## Accessories


**Kit filtrante** Filtering kit  
K01251KIT  
**Filtro carbone rettangolare**  
Rectangular charcoal filter  
R55046266  
**Filtro carbone cilindrico**  
Cylindrical charcoal filter  
R55046241

Filtro carbone rettangolare  
incluso nel kit filtrante  
Rectangular charcoal filter  
included in the filtering kit

Performance
<b>Airflow</b> 700 m <sup>3</sup> /h
<b>Pressure</b> 520 Pa
<b>Noise level</b> 46 Min / 58 max Iw[dba]
<b>Motor power</b> 240 W
<b>Duct size</b> Ø 150 mm
<b>Energy Class</b> A+

## Finish

Acciaio inox satinato  
Bianco opaco / Nero opaco  
S/steel satin / Matt white / Matt black



## Model

PYXIS ISLAND 90 INOX  
PYXIS ISLAND 120 INOX  
PYXIS ISLAND 90 WHITE  
PYXIS ISLAND 120 WHITE  
PYXIS ISLAND 90 BLACK  
PYXIS ISLAND 120 BLACK

## Model

AQUILA ISLAND 90 INOX  
AQUILA ISLAND 120 INOX  
AQUILA ISLAND 90 BLACK  
AQUILA ISLAND 120 BLACK

# Pyxis Plus Island



FIM - AIRWORKS



Features
<b>Size</b> 150/180 cm
<b>Version</b> Aspirante / Filtrante (optional) Suction / Filtering (optional)
<b>Controls</b> 2 Touch control 3+1 Remote control 3+1
<b>Lighting</b> Fascia led dimmerabile / dinamica Dimmable / dynamic led strip 2x10,6W (150) / 2x21,2W (180)

Performance
<b>Airflow</b> 700 m <sup>3</sup> /h
<b>Pressure</b> 520 Pa
<b>Noise level</b> 46 Min / 58 max Iw[dba]
<b>Motor power</b> 240 W
<b>Duct size</b> Ø 150 mm
<b>Energy Class</b> A+


## Accessories

<b>Kit filtrante Filtering kit</b> K01251KIT
<b>Filtro carbone rettangolare</b> Rectangular charcoal filter R55046266
<b>Filtro carbone cilindrico</b> Cylindrical charcoal filter R55046241
Filtro carbone rettangolare incluso nel kit filtrante Rectangular charcoal filter included in the filtering kit

## Finish



Acciaio inox satinato  
Bianco opaco / Nero opaco  
Colore personalizzato su richiesta  
S/steel satin / Matt white / Matt black  
Custom color on request



ISLAND

PYXIS PLUS ISLAND 150 INOX

PYXIS PLUS ISLAND 180 INOX

PYXIS PLUS ISLAND 150 WHITE

PYXIS PLUS ISLAND 180 WHITE

PYXIS PLUS ISLAND 150 BLACK

PYXIS PLUS ISLAND 180 BLACK

# Boote Plus Island



FIM - AIRWORKS



## Features

**Size**  
180/240 cm  
**Version**  
Aspirante / Filtrante (opzionale)  
Suction / Filtering (optional)  
**Controls**  
Electronic 3+1,  
Remote control 3+1  
**Lighting**  
Fascia led dimmerabile/dinamica  
Dimmable/dynamic led strip  
4x16W (180), 4x18W (240)

## Performance

**Airflow**  
750 m<sup>3</sup>/h  
**Pressure**  
580 Pa  
**Noise level**  
45 Min / 64 max Iw[dba]  
**Motor power**  
265 W  
**Duct size**  
Ø150 mm  
**Energy Class**  
A



## Accessories

**Kit camino filtrante Chimney filtering kit**  
K0076IXKIT (INOX)  
K0076ICKIT (COLOR)

### Filtro carbone long life

Long life filter

R55046304

### Filtro carbone cilindrico

Cylindrical charcoal filter


R55046241

Filtro carbone long life  
incluso nel kit filtrante  
Long life filter included  
in the filtering kit

## Finish



Acciaio inox satinato / Nero opaco  
Colore personalizzato su richiesta  
S. steel satin / Matt black  
Custom color on request



## Model

BOOTE PLUS ISLAND 180 INOX  
BOOTE PLUS ISLAND 240 INOX

BOOTE PLUS ISLAND 180 BLACK  
BOOTE PLUS ISLAND 240 BLACK



## Norma Island



FIM - AIRWORKS

**Features**

**Size**  
90 cm  
**Version**  
Aspirante/Filtrante (opzionale)  
Suction/Filtering (optional)

**Controls**  
Touch control 3+1,  
Remote control 3+1

**Lighting**  
Faretto led dimmerabile  
Dimmable led lamps  
4x2,2W

**Performance**

**Airflow**  
700 m<sup>3</sup>/h  
**Pressure**  
520 Pa  
**Noise level**  
46 min – 58 max Iw[dba]  
**Motor power**  
240 W  
**Duct Size**  
Ø150 mm  
**Energy Class**  
A+

**Accessories**


**Kit filtrante**  
Filtering kit  
K01251KIT  
**Filtro carbone rettangolare**  
Rectangular charcoal filter  
R55046266  
**Filtro carbone cilindrico**  
Cylindrical charcoal filter  
R55046241

Filtro carbone rettangolare incluso nel kit  
filtrante Rectangular charcoal filter included in  
the filtering kit

**Finish**



Acciaio inox satinato  
Nero opaco  
Acciaio inox nero + Vetro nero  
Nero opaco + Vetro nero  
S/steel satin  
Matt black  
Black s/steel + Black glass  
Matt black + Black glass



**Model**

NORMA ISLAND INOX  
NORMA ISLAND BLACK  
  
NORMA ISLAND BLACK + GLASS  
NORMA ISLAND BLACK S/STEEL + GLASS

## Leo Island



ISLAND

**Features**

**Size**  
110 cm  
**Version**  
Aspirante/Filtrante (opzionale)  
Suction/Filtering (optional)

**Controls**  
Touch control 3+1  
Remote control 3+1

**Lighting**  
Fascia led dimmerabile  
Dimmable led strip  
1x12w

**Performance**


**Airflow**  
750 m<sup>3</sup>/h  
**Pressure**  
570 (Pa)  
**Noise level**  
52 Min / 63 max Iw[dba]  
**Motor power**  
265 W  
**Duct size**  
Ø 150 mm  
**Energy Class**  
A

**Accessories**

**Kit filtrante**  
Filtering kit  
K01221KIT  
**Coppia filtro long life rotondo**  
Pair round long life filters  
R55046221

**Finish**

Acciaio inox satinato S/steel satin  
Nero opaco Matt black  
Bronzo opaco Matt bronze  
Titano opaco Matt Titanium  
Grafite opaco Matt graphite  
Colore personalizzato su richiesta  
Custom color on request



**Model**

LEO ISLAND INOX  
LEO ISLAND BLACK  
LEO ISLAND BRONZE  
LEO ISLAND TITANIUM  
LEO ISLAND GRAPHITE

**Features**

**Size**  
160 cm  
**Version**  
Aspirante/Filtrante (opzionale)  
Suction/Filtering (optional)  
**Controls**  
Remote control 3+1  
**Lighting**  
Faretto led dimmerabile  
Dimmable led lamps  
11x2,2W

**Accessories**



**Kit filtrante a soffitto**  
Ceiling filtering kit  
KKIT003CF

**Performance**

**Airflow**  
700 m<sup>3</sup>/h  
**Pressure**  
550 Pa  
**Noise level**  
47 Min / 67 max Iw[dba]  
**Motor power**  
220 W  
**Duct size**  
220x90 mm  
**Energy Class**  
A

**Finish**

Acciaio inox satinato / Nero opaco  
Colore personalizzato su richiesta  
S. steel satin / Matt black  
Custom color on request

**Model**

GRUS INOX  
GRUS BLACK



# Sagitta



FIM - AIRWORKS



## Features

**Size**  
180 cm  
**Version**  
Filtrante Filtering  
**Controls**  
Remote control 3+1  
**Lighting**  
Faretto led Led lamps  
4x2,5W


## Accessories

**Filtro carbone cilindrico**  
Cylindrical charcoal filter  
R55046244 (qtà qty 2)

**Filtro carbone incluso**  
Charcoal filter included

## Performance

**Airflow**  
800 m<sup>3</sup>/h  
**Pressure**  
\*  
**Noise level**  
54 Min / 70 max Iw[dba]  
**Motor power**  
2x265 W  
**Energy Class**  
\*  
\* Dato non previsto per cappa filtrante  
Data not provided for filtering hood



## Finish



Acciaio inox satinato + Vetro bianco  
Colore personalizzato su richiesta  
Custom color on request  
S/steel satin + white glass

## Model

SAGITTA H65 INOX  
SAGITTA H95 INOX  
SAGITTA H125 INOX

SAGITTA H65 COLOR  
SAGITTA H95 COLOR  
SAGITTA H125 COLOR



ISLAND

# Circinus



FIM - AIRWORKS




## Features

**Size**  
62 / 82 cm  
**Version**  
Filtrante Filtering  
**Controls**  
Remote control 3+1  
**Lighting**  
Pannello led dimmerabile  
Dimmable led panel  
15W (62) / 20W (82)

## Performance

**Airflow**  
650 m<sup>3</sup>/h  
**Pressure**  
\*  
**Noise level**  
43 Min / 58 max Iw[dba]  
**Motor power**  
265 W  
**Energy Class**  
\*  
\* Dato non previsto per cappa filtrante  
Data not provided for filtering hood



## Accessories

**Coppia filtro long life rotondo**  
Pair round long life filters  
R55046221

**Filtro long life incluso**  
Long life filter included

## Finish

  
Acciaio inox satinato + metacrilato  
con colore personalizzato su richiesta  
S/steel satin + Methacrylate painted with Custom  
color on request



ISLAND

**Features**

**Size**  
82  
**Version**  
Filtrante Filtering  
**Controls**  
Remote control 3+1  
**Lighting**  
Fascia led dimmerabile  
Dimmable led strip  
29W


**Accessories**

**Filtro carbone cilindrico**  
Cylindrical charcoal filter  
R55046244

**Filtro carbone incluso**  
Charcoal filter included

**Performance**

**Airflow**  
650 m<sup>3</sup>/h  
**Pressure**  
\*  
**Noise level**  
43 Min / 60 max Iw[dba]  
**Motor power**  
265 W  
**Energy Class**  
\*  
\* Dato non previsto per cappa filtrante  
Data not provided for filtering hood

**Finish**

Acciaio inox satinato + metacrilato  
con colore personalizzato su richiesta  
S/steel satin + Methacrylate painted with  
custom color on request



# Hercules Island



**Features**

**Size**  
90 / 120 cm  
Altezza personalizzata su richiesta  
Custom height on request

**Version**  
Aspirante/Filtrante (opzionale)  
Suction/Filtering (optional)

**Controls**  
Touch control 3+1  
Remote control 3+1

**Lighting**  
Fascia led Led strip  
2x13W (90) / 2x17W (120)

**Accessories**

**Filtro carbone cilindrico**  
Cylindrical charcoal filter  
R55046241

**Performance**

**Airflow**  
800 m<sup>3</sup>/h

**Pressure**  
570 Pa

**Noise level**  
39 Min / 57 max Iw[dba]

**Motor power**  
265 W


**Duct size**  
Ø 150 mm

**Energy Class**  
A

**Finish**

Acciaio inox satinato / Nero opaco  
S. steel satin / Matt black  
Colore personalizzato su richiesta  
Custom color on request

**Induction System TECH**



**Model**

HERCULES ISLAND 90 H60 INOX  
HERCULES ISLAND 120 H60 INOX  
HERCULES ISLAND 90 H100 INOX  
HERCULES ISLAND 120 H100 INOX

HERCULES ISLAND 90 H60 BLACK  
HERCULES ISLAND 120 H60 BLACK  
HERCULES ISLAND 90 H100 BLACK  
HERCULES ISLAND 120 H100 BLACK

# Chameleon Island



**Features**

**Size**  
90/120 cm  
Altezza personalizzata su richiesta  
Custom height on request

**Version**  
Aspirante Suction

**Controls**  
Electronic 3+1,  
Remote control 3+1

**Lighting**  
Pannello led dimmerabile  
Dimmable led panel  
25W (90) / 37W (120)

**Accessories**

**Kit pannelli acciaio inox satinato su richiesta**  
S/steel satin panels kit on request



**Kit pannelli nero opaco su richiesta**  
Matt black panels kit on request

Cappa pannellabile, peso totale  
pannelli max 100 kg  
Hood to be panelled, total weight  
panels max 100 kg  
Spessore pannelli: min 18, max 21 mm  
Panels thickness: min 18, max 21 mm

**Model**

CHAMELEON ISLAND 90 H62 INOX  
CHAMELEON ISLAND 120 H62 INOX  
CHAMELEON ISLAND 90 H90 INOX  
CHAMELEON ISLAND 120 H90 INOX

CHAMELEON ISLAND 90 H62 BLACK  
CHAMELEON ISLAND 120 H62 BLACK  
CHAMELEON ISLAND 90 H90 BLACK  
CHAMELEON ISLAND 120 H90 BLACK





**Features**

**Size**  
180 cm  
Dimensioni personalizzate su richiesta  
Custom size on request

**Version**  
Aspirante/Filtrante (opzionale)  
Suction/Filtering (optional)

**Controls**  
Touch control 3+1  
Remote control 3+1

**Lighting**  
Faretto led dimmerabile  
Dimmable led lamps  
4x2,2W

**Accessories**

**Kit filtrante** Filtering kit  
K01251KIT (qta qty 2)

**Coppia filtro carbone rettangolare**  
Pair rectangular charcoal filter  
R55046266D

**Filtro carbone cilindrico**  
Cylindrical charcoal filter  
R55046241 (qta qty 2)

Filtro carbone rettangolare  
incluso nel kit filtrante  
Rectangular charcoal filter  
included in the filtering kit

**Model**  
TAURUS INOX  
TAURUS BLACK

**Performance**

**Airflow**  
1400 m<sup>3</sup>/h


**Pressure**  
580 (Pa)

**Noise level**  
52 Min / 66 max Iw[dba]

**Motor power**  
2x240 W

**Duct size**  
Ø 150 mm

**Energy Class**  
B



**Finish**



Acciaio inox satinato / Nero opaco  
Colore personalizzato su richiesta  
S. steel satin / Matt black  
Custom color on request

# Soffitto Ceiling

Nelle Cappe a soffitto il sistema di aspirazione è «invisibile». La captazione dei fumi di cottura avviene quasi senza accorgersi, sfruttando il fenomeno della convezione in cui l'aria più calda e densa di vapori sale verso l'alto.

Questa soluzione garantisce la massima altezza libera ed un campo visivo senza ostacoli attorno alla zona di cottura, lasciando così ampio spazio alla creatività nella progettazione della propria cucina dei sogni. Tutti i modelli sono gestiti tramite comando a distanza.

In the Ceiling hoods the aspiration system is "invisible". The cooking fumes captation is happening in an easy way taking advantage of the convection phenomenon where the warmer and heavier air is rising upwards.

This solution allows to have a lot of space free in the height and a lot of visibility without obstacles around the cooking area, leaving space to a lot of possibilities when the kitchen of our dreams is designed. All the models are controlled by remotes.

ORION	88	SCUTUM	96
URSA	90	CENTAURUS	97
URSA STRIP	92	PEGASUS	98
URSA GLASS	93	DORADO	100
URSA GLASS STRIP	94	VOLANS	101



# Orion





## Features

**Size**  
60/90/120 cm  
**Version**  
Aspirante / Filtrante (opzionale)  
Suction / Filtering (optional)  
**Controls**  
Electronic 3+1  
Remote control 3+1  
**Lighting**  
Pannello led dimmerabile  
Dimmable led panel  
16W (60) / 25W (90) / 37W (120)

## Performance

**Airflow**  
740 m<sup>3</sup>/h  
**Pressure**  
550 Pa  
**Noise level**  
45 Min / 66 max Iw[dba]  
**Motor power**  
220 W  
**Duct Size**  
220x90 mm  
**Energy Class**  
A+





## Accessories

**Filtro long life**  
Long life filter  
R55081006 (60)  
R55081003-2 (90)  
R55090028-3 (120)  
**Kit filtrante a soffitto**  
Ceiling filtering kit  
KKIT003CF

## Finish

Bianco opaco / Nero opaco  
Matt white / Matt black



## Model

ORION 60 WHITE  
ORION 60 BLACK  
  
ORION 90 WHITE  
ORION 90 BLACK  
  
ORION 120 WHITE  
ORION 120 BLACK



**Features**

**Size**  
90/120 cm  
Misura personalizzata su richiesta  
Custom size on request

**Version**  
Aspirante / Filtrante (opzionale)  
Suction / Filtering (optional)

**Controls**  
Electronic 3+1  
Remote control 3+1  
**Lighting**  
Faretto led dimmerabile  
Dimmable led lamps  
3x2,2W

**Accessories**

**Filtro long life**  
Long life filter  
R55090025-2

**Kit filtrante a soffitto**  
Ceiling filtering kit  
KKIT003CF


**Performance**

**Airflow**  
740 m<sup>3</sup>/h  
**Pressure**  
550 Pa  
**Noise level**  
45 Min / 66 max Iw[dba]

**Motor power**  
220 W  
**Duct Size**  
220x90 mm  
**Energy Class**  
A+

**Finish**

Acciaio inox satinato / Bianco opaco / Nero opaco  
S/steel satin / Matt white / Matt black



URSA 90 INOX  
URSA 120 INOX

URSA 90 WHITE  
URSA 90 BLACK

URSA 120 WHITE  
URSA 120 BLACK

## Ursa Strip



FIM - AIRWORKS

**Features**

**Size**  
90/120 cm  
**Version**  
Aspirante / Filtrante (opzionale)  
Suction / Filtering (optional)  
**Controls**  
Electronic 3+1  
Remote control 3+1  
**Lighting**  
Fascia led dimmerabile/dinamica  
Dimmable/Dynamic led strip  
1x9W (90) / 1x15W (120)

**Accessories**


**Filtro long life**  
Long life filter  
R55090025-2  
**Kit filtrante a soffitto**  
Ceiling filtering kit  
KKIT003CF

**Performance**

**Airflow**  
740 m<sup>3</sup>/h  
**Pressure**  
550 Pa  
**Noise level**  
45 Min / 66 max Iw[dba]  
**Motor power**  
220 W  
**Duct Size**  
220x90 mm  
**Energy Class**  
A+

**Finish**

● ● ●  
Acciaio inox satinato  
Bianco opaco  
Nero opaco  
S/steel satin  
Matt white  
Matt black



## Ursa Glass



CEILING

**Features**

**Size**  
96/120 cm  
**Version**  
Aspirante / Filtrante (opzionale)  
Suction / Filtering (optional)  
**Controls**  
Electronic 3+1  
Remote control 3+1  
**Lighting**  
Faretto led dimmerabile  
Dimmable led strip  
2x5,3W

**Accessories**


**Filtro long life**  
Long life filter  
R55090025-2  
**Kit filtrante a soffitto**  
Ceiling filtering kit  
KKIT003CF

**Performance**

**Airflow**  
740 m<sup>3</sup>/h  
**Pressure**  
550 Pa  
**Noise level**  
45 Min / 66 max Iw[dba]  
**Motor power**  
220 W  
**Duct Size**  
220x90 mm  
**Energy Class**  
A+

**Finish**

● + ● ● + ●  
Bianco opaco + Vetro bianco  
Nero opaco + vetro nero  
Matt white + White glass  
Matt black + black glass



**Model**

URSA STRIP 90 INOX  
URSA STRIP 120 INOX  
URSA STRIP 90 WHITE  
URSA STRIP 90 BLACK  
URSA STRIP 120 WHITE  
URSA STRIP 120 BLACK

**Model**

URSA GLASS 90 WHITE  
URSA GLASS 90 BLACK  
URSA GLASS 120 WHITE  
URSA GLASS 120 BLACK

# Ursa Glass Strip



## Features

**Size**  
90/120 cm  
**Version**  
Aspirante / Filtrante (opzionale)  
Suction / Filtering (optional)  
**Controls**  
Electronic 3+1  
Remote control 3+1  
**Lighting**  
Fascia led dimmerabile/dinamica  
Dimmable/dynamic led strip  
1x9W (90) / 1x15W (120)

## Performance

**Airflow**  
740 m<sup>3</sup>/h  
**Pressure**  
550 Pa  
**Noise level**  
45 Min / 66 max Iw[dba]  
**Motor power**  
220 W  
**Duct Size**  
220x90 mm  
**Energy Class**  
A+


## Accessories

**Filtro long life**  
Long life filter  
R55090025-2  
**Kit filtrante a soffitto**  
Ceiling filtering kit  
KKIT003CF

## Finish



Bianco opaco + vetro bianco  
Nero opaco + vetro nero  
Matt white + white glass  
Matt black + black glass



# Scutum



**SCUTUM STRIP**  
Led strip version



FIM - AIRWORKS

Features	Performance
<b>Size</b> 90/116 cm	<b>Airflow</b> 740 m <sup>3</sup> /h
<b>Version</b> Aspirante / Filtrante (optional) Suction / Filtering (optional)	<b>Pressure</b> 550 Pa
<b>Controls</b> Electronic 3+1 Remote control 3+1	<b>Noise level</b> 45 Min / 66 max Iw[dba]
<b>Lighting</b> Faretto a led Led lamps 4x2,1W Fascia led dimmerabile Dimmable led strip 2x5,3W	<b>Motor power</b> 220 W

Accessories	Finish
<b>Filtro long life</b> Long life filter R55081003-2	+ +

**Kit filtrante a soffitto**

Ceiling filtering kit

KKIT003CF

Model
SCUTUM 96 WHITE
SCUTUM 96 BLACK
SCUTUM 116 WHITE
SCUTUM 116 BLACK
SCUTUM STRIP 96 WHITE
SCUTUM STRIP 96 BLACK
SCUTUM STRIP 116 WHITE
SCUTUM STRIP 116 BLACK

# Centaurus




Version 150 white



CEILING

**SCUTUM**  
Led light version



Features

Size	Airflow
120/150 cm	740 m <sup>3</sup> /h (120) / 1400 m <sup>3</sup> /h (150)
<b>Version</b>	<b>Pressure</b>
Aspirante / Filtrante (optional)	550 Pa
Suction / Filtering (optional)	<b>Noise level</b>
<b>Controls</b>	45 Min / 66 max Iw[dba]
Electronic 3+1	<b>Motor power</b>
Remote control 3+1	220 W (120) / 2x220W (150)
<b>Lighting</b>	<b>Duct Size</b>
Faretto a led Led lamps	220x90 mm / 2x220x90 mm
4x2,1W	<b>Energy Class</b>
Fascia led dimmerabile	A+
Dimmable led strip	
2x5,3W	

Accessories

<b>Filtro long life</b> Long life filter R55081003-2
<b>Kit filtrante a soffitto</b> Ceiling filtering kit KKIT003CF

Finish

+	+
Bianco opaco + vetro bianco	Nero opaco + vetro nero
Nero opaco + vetro nero	Matt white + white glass
Matt white + White glass	Matt black + black glass


Model

CENTAURUS 120 WHITE
CENTAURUS 120 BLACK
CENTAURUS 150 WHITE
CENTAURUS 150 BLACK



Version 120 black



Version 120



Version 150



# Pegasus



FIM - AIRWORKS



## Features

**Size**  
100/130 cm  
**Version**  
Aspirante / Filtrante (opzionale)  
Suction / Filtering (optional)  
**Controls**  
Electronic 3+1  
Remote control 3+1  
**Lighting**  
Fascia led dimmerabile  
Dimmable led strip  
22W (100)  
27W (130)

## Performance


**Airflow**  
740 m<sup>3</sup>/h  
**Pressure**  
550 Pa  
**Noise level**  
45 Min / 66 max Iw[dba]  
**Motor power**  
220 W  
**Duct Size**  
220x90 mm  
**Energy Class**  
A+

## Accessories

**Filtro long life**  
Long life filter  
R55081003-2  
**Kit filtrante a soffitto**  
Ceiling filtering kit  
KKIT003CF

## Finish

○ + ○   ● + ●  
Bianco opaco + vetro bianco  
Nero opaco + vetro nero  
Matt white + white glass  
Matt black + black glass



# Dorado



**DORADO STRIP**  
Led strip version



FIM - AIRWORKS

Features
<b>Size</b> 90/120 cm
<b>Version</b> Aspirante / filtrante (opzionale) Suction / Filtering (optional)
<b>Controls</b> Electronic 3+1 Remote control 3+1
<b>Lighting</b> Fascia led dimmerabile/dinamica Dimmable/Dynamic led strip 1x9W (90) / 1x15W (120) Faretto led dimmerabile Dimmable led lamps 3x2,2W

Accessories
<b>Filtro long life</b> Long life filter R55090026-2 (90) R55090026-3 (120) <b>Kit filtrante de techo</b> Ceiling filtering kit KKIT003CF

Model
DORADO 90 INOX
DORADO 120 INOX
DORADO 90 WHITE
DORADO 90 BLACK
DORADO 120 WHITE
DORADO 120 BLACK
DORADO STRIP 90 INOX
DORADO STRIP 120 INOX
DORADO STRIP 90 WHITE
DORADO STRIP 90 BLACK
DORADO STRIP 120 WHITE
DORADO STRIP 120 BLACK

# Volans




CEILING

Features
<b>Size</b> 90/120 cm
<b>Version</b> Filtrante Filtering
<b>Controls</b> Remote control 3+1
<b>Lighting</b> Fascia led dimmerabile/dinamica Dimmable/Dynamic led strip 1x9W (90) 1x15W (120)

Performance
<b>Airflow</b> 450 m³/h
<b>Pressure</b> *
<b>Noise level</b> 55 Min / 67 max Iw[dba]
<b>Motor power</b> 270 W
<b>Energy Class</b> *

\* Dati non forniti per cappa filtrante  
Data not provided for filtering hood



Accessories
<b>Filtro a carbone piatto</b> Flat charcoal filter R55046242
<b>Filtro ceramico</b> Ceramic filter RAK2534983
<b>Filtro carbone incluso</b> Charcoal filter included

Finish
Bianco opaco + Vetro bianco Nero opaco + vetro nero Matt white + White glass Matt black + black glass

Model
VOLANS 90 WHITE
VOLANS 90 BLACK

VOLANS 120 WHITE
VOLANS 120 BLACK

# Incasso Built-in

La linea di Cappe a incasso si tratta di un classico che non può mai mancare ad ogni produttore di cappe aspiranti da cucina.

Sempre molto popolari, hanno il chiaro vantaggio di occupare pochissimo spazio dato che sono montate all'interno del pensile superiore alla zona di cottura, ed in questo modo risultano completamente invisibili.

L'aggiunta di frontalini estraibili a scomparsa aiutano una migliore captazione dei fumi e basta un tocco per movimentare lo sportello ed avviare o terminare automaticamente l'aspirazione.

POLLUCE	104
CASTORE	106
AVIOR	107
ALDERABAN	108
SHEDIR	109
CANOPO AIRMATE	110
CANOPO PLUS	111
CANOPO	112
HADAR	113
REGOLO	114

Built-in hoods are ever green products which cannot be missed in the collection of each producer of cooker hoods. They are always very popular and have the clear advantage to take little space as mounted inside the upper cabinet of the cooking area where they completely disappear.

Adding screens that can be opened when necessary or disappear when not used, help to have a better captation of the fumes and just a touch is needed to move the door/screen and start or end the aspiration of the hood.



# Polluce



## Features

<b>Size</b>	<b>Airflow</b>
60/90/120 cm	680 m <sup>3</sup> /h
<b>Version</b>	<b>Pressure</b>
Aspirante/Filtrante (opzionale)	580 Pa
Suction/Filtering (optional)	
<b>Controls</b>	<b>Noise level</b>
Touch control 3+1	43 Min / 64 max Iw[dba]
<b>Lighting</b>	<b>Motor power</b>
Faretto led dimmerabile	265 W
Dimmable led lamps	
2x2,2W	<b>Duct Size</b>
	Ø 150 mm
	<b>Energy Class</b>
	A

## Accessories


<b>Kit filtrante ceramico integrato nel pensile</b>
Built-in ceramic filtering kit
K06314KITF

## Finish



Acciaio inox satinato  
Stainless steel satin

## Induction System PLUS



## Model

POLLUCE 60
POLLUCE 90
POLLUCE 120

# Castore



Castore Glass




FIM - AIRWORKS

Features	Performance
<b>Size</b> 60/90/120 cm	<b>Airflow</b> 600 m <sup>3</sup> /h
<b>Version</b> Aspirante / Filtrante (opzionale) Suction / Filtering (optional)	<b>Pressure</b> 570 Pa
<b>Controls</b> Touch control 3+1	<b>Noise level</b> 52 Min / 65 max Iw[dba]
<b>Lighting</b> Fascia led dimmerabile Dimmable led strip 1x3W (60) 1x4,8W (90) 1x6,6W (120)	<b>Motor power</b> 265 W
<b>Accessories</b>	<b>Duct Size</b> Ø 150 mm
<b>Filtro carbone piatto</b> Flat charcoal filter R55046223	<b>Energy Class</b> A

Features	Performance
<b>Size</b> 60/90/120 cm	<b>Airflow</b> 600 m <sup>3</sup> /h
<b>Version</b> Aspirante / Filtrante (opzionale) Suction / Filtering (optional)	<b>Pressure</b> 570 Pa
<b>Controls</b> Touch control 3+1	<b>Noise level</b> 52 Min / 65 max Iw[dba]
<b>Lighting</b> Fascia led dimmerabile Dimmable led strip 1x3W (60) 1x4,8W (90) 1x6,6W (120)	<b>Motor power</b> 265 W
<b>Accessories</b>	<b>Duct Size</b> Ø 150 mm
<b>Filtro carbone piatto</b> Flat charcoal filter R55046223	<b>Energy Class</b> A

Finish
● + ●
● + ●
● + ●
● + ●
● + ●

Acciaio Inox satinato + Vetro  
Nero opaco + Vetro  
Acciaio Inox satinato / Nero opaco  
S.steel satin + Glass  
Matt black + Glass  
S.steel satin / Matt black



Model

CASTORE 60 INOX  
CASTORE 90 INOX  
CASTORE 120 INOX  
CASTORE 60 BLACK  
CASTORE 90 BLACK  
CASTORE 120 BLACK

CASTORE 60 INOX + GLASS  
CASTORE 90 INOX + GLASS  
CASTORE 120 INOX + GLASS  
CASTORE 60 BLACK + GLASS  
CASTORE 90 BLACK + GLASS  
CASTORE 120 BLACK + GLASS

# Avior




BUILT-IN

Features	Performance
<b>Size</b> 60/90/120 cm	<b>Airflow</b> 680 m <sup>3</sup> /h
<b>Version</b> Aspirante / Filtrante (opzionale) Suction / Filtering (optional)	<b>Pressure</b> 540 Pa
<b>Controls</b> Touch-control 3+1	<b>Noise level</b> 47 Min / 58 max Iw[dba]
<b>Lighting</b> Striscia led dimmerabile Dimmable led strip 1x3W (60) 1x4,8W (90) 1x6,6W (120)	<b>Motor power</b> 240 W
<b>Accessories</b>	<b>Duct Size</b> Ø 150 mm
<b>Coppia filtro long life rotondo</b> Pair round long life filters R55046221	<b>Energy Class</b> A

Finish
● + ●

Nero opaco + Vetro fumè  
Matt black + Smoke glass



Model

AVIOR 60  
AVIOR 90  
AVIOR 120

# Aldebaran



FIM - AIRWORKS

## Features

**Size**  
60/90/120 cm  
**Version**  
Aspirante/Filtrante (opzionale)  
Suction/Filtering (optional)  
**Controls**  
Electronic 3+1  
**Lighting**  
Faretto led dimmerabile  
Dimmable led lamps  
2x2,2W

## Accessories

**Coppia filtro long life rotondo**  
Pair round long life filters  
R55046221


## Performance

**Airflow**  
700 m<sup>3</sup>/h  
**Pressure**  
550 Pa  
**Noise level**  
49 Min / 63 max Iw[dba]  
**Motor power**  
265 W  
**Duct Size**  
Ø 150 mm  
**Energy Class**  
A

## Finish

Acciaio inox satinato  
Stainless steel satin

## Induction System BASE



## Model

ALDEBARAN 60  
ALDEBARAN 90  
ALDEBARAN 120

# Shedir



BUILT-IN

## Features

**Size**  
55/60/90cm  
**Version**  
Aspirante / Filtrante (opzionale)  
Suction / Filtering (optional)  
**Controls**  
Electronic 3+1  
**Lighting**  
Faretto led dimmerabile  
Dimmable led lamps  
2x2,2W (55/60)  
3x2,2W (90)

## Accessories


**Coppia filtro log life rotondo**  
Pair round long life filters  
R55046221

## Performance

**Airflow**  
680 m<sup>3</sup>/h  
**Pressure**  
540 Pa  
**Noise level**  
47 Min / 58 max Iw[dba]  
**Motor power**  
240 W  
**Duct Size**  
Ø 150 mm  
**Energy Class**  
A

## Finish

Acciaio inox satinato + Vetro  
 Nero opaco + Vetro  
Stainless steel satin + Glass  
Matt black + Glass



## Model

SHEDIR 55 INOX  
SHEDIR 60 INOX  
SHEDIR 90 INOX  
SHEDIR 55 BLACK  
SHEDIR 60 BLACK  
SHEDIR 90 BLACK

## Canopo AirMate



FIM - AIRWORKS

**Features**

**Size**  
90/120 cm  
**Version**  
Aspirante/Filtrante (opzionale)  
Suction/Filtering (optional)  
**Controls**  
AirMate 4+  
**Lighting**  
Faretto led dimmerabile/dinamica  
Dimmable/Dynamic led lamps  
2x2,2W

**Accessories**


**Coppia filtro log life rotondo**  
Pair round long life filters  
R55046221

**Performance**

**Airflow**  
680 m<sup>3</sup>/h  
**Pressure**  
410 Pa  
**Noise level**  
38 Min / 52 max Iw[dba]  
**Motor power**  
100 W  
**Duct Size**  
Ø 150 mm  
**Energy Class**  
A+

**Finish**

Acciaio inox satinato  
 Nero opaco  
S/steel satin  
Matt black



**Model**

CANOPO AIRMATE 90 INOX  
CANOPO AIRMATE 120 INOX  
CANOPO AIRMATE 90 BLACK  
CANOPO AIRMATE 120 BLACK

## Canopo Plus



BUILT-IN

**Features**

**Size**  
60/80/90/120 cm  
**Version**  
Aspirante / filtrante (opzionale)  
Suction / Filtering (optional)  
**Controls**  
Electronic 3+1  
**Lighting**  
Faretto led dimmerabile  
Dimmable led lamps  
2x2,2W

**Accessories**


**Coppia filtro long life rotondo**  
Pair round long life filters  
R55046221  
**Telecomando**  
Remote control  
R01319006

**Performance**

**Airflow**  
710 m<sup>3</sup>/h  
**Pressure**  
580 Pa  
**Noise level**  
45 Min / 64 max Iw[dba]  
**Motor power**  
256 W  
**Duct Size**  
Ø 150 mm  
**Energy Class**  
A

**Finish**

Acciaio inox satinato  
 Nero opaco  
S/steel satin  
Matt black



**Model**

CANOPO PLUS 60 INOX  
CANOPO PLUS 80 INOX  
CANOPO PLUS 90 INOX  
CANOPO PLUS 120 INOX  
CANOPO PLUS 60 BLACK  
CANOPO PLUS 80 BLACK  
CANOPO PLUS 90 BLACK  
CANOPO PLUS 120 BLACK

# Canopo



## Features

**Size**  
60/90/120 cm  
**Version**  
Aspirante / Filtrante (opzionale)  
Suction / Filtering (optional)  
**Controls**  
Electronics 3+1  
**Lighting**  
Faretto led dimmerabile  
Dimmable led lamps  
2x2,2W

## Accessories


**Coppia filtro long life rotondo**  
Pair round long life filters  
R55046221  
**Telecomando**  
Remote control  
R01319006

## Performance

**Airflow**  
710 m<sup>3</sup>/h  
**Pressure**  
580 Pa  
**Noise level**  
45 Min / 64 max Iw[dba]  
**Motor power**  
265 W  
**Duct Size**  
Ø 150 mm  
**Energy Class**  
A

## Finish

Acciaio inox satinato +Vetro  
Nero opaco + Vetro  
S/steel satin + Glass  
Matt black + Glass



# Hadar



## Features

**Size**  
52/72/86  
**Version**  
Aspirante / Filtrante (opzionale)  
Suction / Filtering (optional)  
**Controls**  
Electronic 3+1  
**Lighting**  
Faretto led dimmerabile  
Dimmable led lamp  
2x2,2W

## Accessories



**Coppia filtro long life rotondo**  
Pair round long life filters  
R55046221

## Performance

**Airflow**  
690 m<sup>3</sup>/h  
**Pressure**  
580 Pa  
**Noise level**  
54 Min / 67 max Iw[dba]  
**Motor power**  
265 W  
**Duct Size**  
Ø 150 mm  
**Energy Class**  
A

## Finish

Acciaio Inox satinato  
Nero opaco  
Stainless steel satin  
Matt black



## Model

CANOPO 60 INOX  
CANOPO 90 INOX  
CANOPO 120 INOX  
  
CANOPO 60 BLACK  
CANOPO 90 BLACK  
CANOPO 120 BLACK

## Model

HADAR 52 INOX  
HADAR 72 INOX  
HADAR 86 INOX  
  
HADAR 52 BLACK  
HADAR 72 BLACK  
HADAR 86 BLACK


**Features**

**Size**  
52/85/100 cm

**Version**  
Aspirante / Filtrante (opzionale solo sul modello standard)  
Suction / Filtering (optional only standard model)

**Controls**  
Electronic 3+1  
**Lighting**  
Fascia led dimmerabile/dinamica  
Dimmable/Dynamic led strip  
1x5,3W (52/85)  
1x9,2W (100)

**Accessories**

**Coppia filtro long life rotondo**  
(solo modello standard)  
Pair round long life filters  
(only standard model)  
R55046221

**Finish**


Acciaio inox satinato  
Stainless steel satin

**Performance**

**Airflow**  
780 m<sup>3</sup>/h (standard)

1150 m<sup>3</sup>/h (pro)

**Pressure**  
590 Pa (standard)  
600 Pa (pro)



**Noise level**  
46 Min / 66 max Iw[dba] (standard)  
56 Min / 66 max Iw[dba] (pro)

**Motor power**  
265 W (standard)  
450 W (pro)

**Duct Size**

Ø 150 mm (standard)  
Ø 200 mm (pro)

**Energy Class**  
A (standard)  
B (pro)

**Filtro a labirinto**


# Parete Wall

Le Cappe a parete sono la perfetta soluzione di design quando la cucina offre poco spazio a disposizione. Si tratta di apparecchi di aspirazione classica formati da un piano orizzontale o inclinato, posto al di sopra del piano cottura in grado di captare facilmente i fumi e di convogliarli all'interno di una parte estetica in cui viene nascosta la ventola e la tubazione.

In questo modo la cappa diventa un elemento caratterizzante della cucina, protagonista assoluto come elemento di design per focalizzare l'attenzione nell'area di cottura.

Wall hoods are the design perfect solution when the kitchen is offering less space. They are classic appliances made by an horizontal or inclined part placed on top of the cooking hob, which can capture in an easy way the fumes then conveyed inside a design-part where the motor and tubes to take the air out are hidden.

Like this the hood is becoming a feature /element of the kitchen, main design protagonist to catch the attention in the cooking area.

PICTOR	118	AQUILA	129
LEO	120	PYXIS	130
TUCANA	121	PYXIS PLUS	131
OFLUOCO	122	MONOCEROS	132
SCULPTOR	124	APUS	133
MENSA	126	HERCULES	134
NORMA	128	CHAMELEON	135





## Features

**Size**  
60 / 90 cm  
**Version**  
Aspirante/Filtrante (optional)  
Suction/Filtering (optional)  
**Controls**  
Touch control 3+1  
**Lighting**  
Fascia led Led strip  
1x3W (60)  
1x6,6W (90)

## Performance

**Airflow**  
730 m<sup>3</sup>/h  
**Pressure**  
570 Pa  
**Noise level**  
52 Min / 62 max Iw[dba]  
**Motor power**  
265 w  
**Duct Size**  
Ø 150 mm  
**Energy Class**  
A+




## Accessories

**Kit filtrante** Filtering kit  
K01221KIT  
**Coppia filtro long life rotondo**  
Pair round long life filters  
R 55046221

## Finish



Nero opaco + vetro nero  
Matt black + black glass





FIM - AIRWORKS S

**Features**

**Size**  
90 / 120 cm  
**Version**  
Aspirante/Filtrante (opzionale)  
Suction/Filtering (optional)  
**Controls**  
Touch control 3+1  
**Lighting**  
Faretto led dimmerabile  
Dimmable led lamps  
3x2,2W

**Accessories**


**Kit filtrante** Filtering kit  
K01221KIT  
**Coppia filtro long life rotondo**  
Pair round long life filters  
R55046221

**Performance**

**Airflow**  
750 m<sup>3</sup>/h  
**Pressure**  
570 Pa  
**Noise level**  
52 Min / 63 max Iw[dba]  
**Motor power**  
265 w  
**Duct Size**  
Ø 150 mm  
**Energy Class**  
A

**Finish**

Acciaio inox satinato S/steel satin  
Nero opaco Matt black  
Bronzo opaco Matt bronze  
Titanio opaco Matt Titanium  
Grafite opaco Matt graphite



WALL

**Features**




**Size**  
90 / 120 / 150 cm  
**Version**  
Aspirante/Filtrante (opzionale)  
Suction/Filtering (optional)  
**Controls**  
Touch control 3+1  
**Lighting**  
Faretto led dimmerabile  
Dimmable led panel  
3x2,2W

**Accessories**

**Coppia filtro long life rotondo**  
Pair round long life filters  
R55046221  
**Kit camino aspirante**  
Chimney suction kit  
K0032XKITA (INOX)  
K0032CKITA (COLOR)  
**Kit camino filtrante**  
Chimney filtering kit  
K0032XKITB (INOX)  
K0032CKITB (COLOR)

**Model**

TUCANA 90 INOX  
TUCANA 120 INOX  
TUCANA 150 INOX  
  
TUCANA 90 BRONZE  
TUCANA 120 BRONZE  
TUCANA 150 BRONZE  
  
TUCANA 90 TITANIUM  
TUCANA 120 TITANIUM  
TUCANA 150 TITANIUM  
  
TUCANA 90 GRAPHITE  
TUCANA 120 GRAPHITE  
TUCANA 150 GRAPHITE

**Camino aspirante**  
Suction chimney**Camino filtrante**  
Filtering chimney




Features
<b>Hood Size</b> 90/120 cm
<b>Shelf Size</b> 60/90/120 cm
<b>Led bar Size</b> 150/180/210/240 cm
<b>Version</b> Aspirante / Filtrante (opzionale) Suction / Filtering (optional)
<b>Controls</b> Remote control 3+1
<b>Lighting</b> Fascia led strip 1x16,9W (150) / 1x20,2W (180) 1x23,6W (210) / 1x27,0W (240)

Accessories
<b>Kit filtrante</b> Filtering kit K01224KIT
<b>Filtro carbone rettangolare</b> Rectangular charcoal filter R55046266
<b>Filtro carbone cilindrico</b> Cylindrical charcoal filter R55046241
Filtro carbone rettangolare incluso nel kit filtrante Rectangular charcoal filter included in the filtering kit

Finish
● + ● Nero opaco + Vetro fumè Matt black + Smoke glass

Model
OFIUCO HOOD 90
OFIUCO HOOD120
OFIUCO SHELF 60
OFIUCO SHELF 90
OFIUCO SHELF 120
OFIUCO LED BAR 150
OFIUCO LED BAR 180
OFIUCO LED BAR 210
OFIUCO LED BAR 240



# Sculptor



Features
<b>Hood Size</b> 90/120 cm
<b>Shelf Size</b> 45/60/90/120 cm
<b>Version</b> Filtrante Filtering
<b>Controls</b> Remote control 3+1
<b>Lighting</b> Fascia led dimmerabile/dinamica Dimmable/dynamic led strip 1x4W (45) / 1x5,3W (60) 1x6,6W (90) / 1x10,6W (120))

Performance
<b>Airflow</b> 600 m <sup>3</sup> /h
<b>Pressure</b> *
<b>Noise level</b> 61 Min / 68 max Iw[dba]
<b>Motor power</b> 270 w
<b>Energy Class</b> *
* Dato non previsto per cappa filtrante Data not provided for filtering hood

Accessories
<b>Filtro carbone piano</b> Base charcoal filter R55046232

FIM - AIRWORKS

Finish
● + ● ● + ● Acciaio inox satinato + vetro fumè Nero opaco + vetro fumè Colore personalizzato su richiesta S/steel satin + Smoke glass Matt black + Smoke glass Custom color on request

**Model**  
SCULPTOR HOOD 90 CENTRAL INOX  
SCULPTOR HOOD 90 RIGHT INOX  
SCULPTOR HOOD 90 LEFT INOX

SCULPTOR HOOD 120 CENTRAL INOX  
SCULPTOR HOOD 120 RIGHT INOX  
SCULPTOR HOOD 120 LEFT INOX

SCULPTOR HOOD 90 CENTRAL BLACK  
SCULPTOR HOOD 90 RIGHT BLACK  
SCULPTOR HOOD 90 LEFT BLACK


SCULPTOR HOOD 120 CENTRAL BLACK  
SCULPTOR HOOD 120 RIGHT BLACK  
SCULPTOR HOOD 120 LEFT BLACK

SCULPTOR SHELF 45 RIGHT INOX  
SCULPTOR SHELF 45 LEFT INOX  
SCULPTOR SHELF 45 RIGHT BLACK  
SCULPTOR SHELF 45 LEFT BLACK

SCULPTOR SHELF 60 RIGHT INOX  
SCULPTOR SHELF 60 LEFT INOX  
SCULPTOR SHELF 60 RIGHT BLACK  
SCULPTOR SHELF 60 LEFT BLACK

SCULPTOR SHELF 90 RIGHT INOX  
SCULPTOR SHELF 90 LEFT INOX  
SCULPTOR SHELF 90 RIGHT BLACK  
SCULPTOR SHELF 90 LEFT BLACK

SCULPTOR SHELF 120 RIGHT INOX  
SCULPTOR SHELF 120 LEFT INOX  
SCULPTOR SHELF 120 RIGHT BLACK  
SCULPTOR SHELF 120 LEFT BLACK



WALL

# Mensa



FIM - AIRWORKS



Features
<b>Size</b>
90 / 120 / 150 cm
<b>Version</b>
Aspirante Suction
<b>Controls</b>
Touch control 3+1
<b>Lighting</b>
Faretto led dimmerabile
Dimmable led lamps
3x2,2W (90/120)
4x2,2W (150)

Performance
<b>Airflow</b>
1300 m <sup>3</sup> /h
<b>Pressure</b>
610 Pa
<b>Noise level</b>
49 Min / 59 max Iw[dba]
<b>Motor power</b>
450 w
<b>Duct Size</b>
Ø 200 mm
<b>Energy Class</b>
B


Labyrinth filter



Finish



Acciaio inox satinato  
Nero opaco  
S/steel satin  
Black matt



Model

MENSA 90 INOX  
MENSA 120 INOX  
MENSA 150 INOX  
  
MENSA 90 BLACK  
MENSA 120 BLACK  
MENSA 150 BLACK



# Norma



FIM - AIRWORKS



**Features**

**Size**  
60/90 cm  
**Version**  
Aspirante / Filtrante (opzionale)  
Suction / Filtering (optional)  
**Controls**  
Touch control 3+1  
**Lighting**  
Faretto led dimmerabile  
Dimmable led lamps  
2x2,2W

**Accessories**

**Kit filtrante** Filtering kit  
K01224KIT

**Filtro carbone rettangolare**  
Rectangular charcoal filter  
R55046266


**Filtro carbone cilindrico**  
Cylindrical charcoal filter  
R55046241

Filtro carbone rettangolare i  
ncluso nel kit filtrante  
Rectangular charcoal filter  
included in the filtering kit


**Performance**

**Airflow**  
690 m<sup>3</sup>/h  
**Pressure**  
520 Pa  
**Noise level**  
46 Min / 58 max Iw[dba]  
**Motor power**  
240 w  
**Duct Size**  
Ø150 mm  
**Energy Class**  
A+

**Finish**



Acciaio inox satinato S/steel satin  
Nero opaco Matt black  
Acciaio inox nero + Vetro nero  
Black s/steel + Black glass



**Model**

NORMA 60 INOX

NORMA 90 INOX

NORMA 60 BLACK

NORMA 90 BLACK

NORMA 90 BLACK S/STEEL+ GLASS

# Aquila



WALL



**Features**

**Size**  
90 / 120 cm  
**Version**  
Aspirante/Filtrante (opzionale) Suction/Filtering  
(optional)  
**Controls**  
Touch control 3+1  
**Lighting**  
Fascia led Led strip  
2x2,2W (90)  
3x2,2W (120)

**Accessories**

**Filtro carbone cilindrico**  
Cylindrical charcoal filter  
R55046241


**Performance**

**Airflow**  
750 m<sup>3</sup>/h  
**Pressure**  
600 Pa  
**Noise level**  
39 Min / 62 max Iw[dba]  
**Motor power**  
265 w  
**Duct Size**  
Ø 150 mm  
**Energy Class**  
A

**Finish**

Acciaio inox satinato S/steel satin  
Nero opaco Black matt  
Colore personalizzato su richiesta  
Custom color on request

**Induction System TECH**



**Model**

AQUILA 90 INOX  
AQUILA 120 INOX

AQUILA 90 BLACK  
AQUILA 120 BLACK



# Monoceros



FIM - AIRWORKS

**Features**

**Size**  
90 / 120 cm  
**Version**  
Aspirante / Filtrante (opzionale)  
Suction / Filtering (optional)  
**Controls**  
Touch control 3+,  
**Lighting**  
Faretto led dimmerabile  
Dimmable led lamps  
2x2,2W (90)  
3x2,2W (120)

**Accessories**

**Filtro carbone cilindrico**  
Cylindrical charcoal filter  
R55046241


**Performance**

**Airflow**  
790 m<sup>3</sup>/h  
**Pressure**  
610 Pa  
**Noise level**  
42 Min / 64 max Iw[dba]  
**Motor power**  
265 w  
**Duct Size**  
Ø150 mm  
**Energy Class**  
A+

**Finish**



Bronzo opaco Matt bronze  
Titanio opaco Matt Titanium  
Grafite opaco Matt graphite  
Colore personalizzato su richiesta  
Custom color on request



# Apus



WALL

**Features**

**Size**  
90 / 120 cm  
**Version**  
Filtrante Filtering  
**Controls**  
Electronic 3+,  
**Lighting**  
Faretto a led + Fasce led  
Led lamps + led strip  
2x2,2W+14W (90)  
3x2,2W+17W (120)

**Accessories**


**Filtro carbone piano**  
Base charcoal filter  
R55046232

**Filtro carbone incluso**  
Charcoal filter included

**Performance**

**Airflow**  
520 m<sup>3</sup>/h  
**Pressure**  
\*  
**Noise level**  
50 Min / 65 max Iw[dba]  
**Motor power**  
145 w  
**Energy Class**  
\*  
\* Dati non forniti per cappa filtrante  
Data not provided for filtering hood

**Finish**



**Model**

MONOCEROS 90 BRONZE  
MONOCEROS 120 BRONZE  
MONOCEROS 90 TITANIUM  
MONOCEROS 120 TITANIUM  
MONOCEROS 90 GRAPHITE  
MONOCEROS 120 GRAPHITE

**Model**

APUS 90 INOX  
APUS 120 INOX  
APUS 90 BLACK  
APUS 120 BLACK

# Hercules



FIM - AIRWORKS

**Features**

**Size**  
90 / 120 cm  
Altezza personalizzata su richiesta  
Custom height on request

**Version**  
Aspirante/Filtrante (opzionale)  
Suction/Filtering (optional)

**Controls**  
Touch control 3+1

**Lighting**  
Fascia led Led strip  
1x13W (90) / 1x17W (120)

**Accessories**

**Filtro carbone cilindrico**  
Cylindrical charcoal filter  
R55046241

**Performance**

**Airflow**  
800 m<sup>3</sup>/h

**Pressure**  
600 Pa

**Noise level**  
39 Min / 62 max Iw[dba]

**Motor power**  
265 w


**Duct Size**  
Ø 150 mm

**Energy Class**  
A

**Finish**

Acciaio inox satinato S/steel satin  
Nero opaco Matt black  
Colore personalizzato su richiesta  
Custom color on request


**Induction System TECH**



**Model**

HERCULES 90 H60 INOX  
HERCULES 120 H60 INOX  
  
HERCULES 90 H90 INOX  
HERCULES 120 H90 INOX  
  
HERCULES 90 H60 BLACK  
HERCULES 120 H60 BLACK  
  
HERCULES 90 H90 BLACK  
HERCULES 120 H90 BLACK

# Chameleon



WALL

**Features**

**Size**  
90 / 120 cm  
Altezza personalizzata su richiesta  
Custom height on request

**Version**  
Aspirante Suction

**Controls**  
Electronic 3+1

**Lighting**  
Pannello led dimmerabile  
Dimmable led panel  
25W (90) / 37W (120)

**Accessories**

**Kit pannelli acciaio inox satinato su richiesta**  
S/steel satin panels kit on request

**Kit pannelli nero opaco su richiesta**  
Matt black panels kit on request

Cappa pannellabile, peso  
totale pannelli max 100 kg  
Hood to be panelled, total  
weight panels max 100 kg  
Spessore pannelli: min 18, max 21 mm  
Panels thickness: min 18, max 21 mm

**Performance**

**Airflow**  
750 m<sup>3</sup>/h

**Pressure**  
620 Pa

**Noise level**  
52 Min / 70 max Iw[dba]

**Motor power**  
265 w


**Duct Size**  
Ø 150 mm

**Energy Class**  
A


**Finish**

Acero inoxidabile satinado  
Nero opaco  
S/steel satin  
Matt black

**Senza pannelli**  
No panels



**Con pannelli**  
With panels



**Model**

CHAMELEON 90 H62 INOX  
CHAMELEON 120 H62 INOX  
CHAMELEON 90 H90 INOX  
CHAMELEON 120 H90 INOX  
  
CHAMELEON 90 H62 BLACK  
CHAMELEON 120 H62 BLACK  
CHAMELEON 90 H90 BLACK  
CHAMELEON 120 H90 BLACK

# Motori remoti

## Remote blowers

# Motori remoti

## Remote blowers

Utilizzando i Motori remoti, che possono essere posizionati lontani dalla zona cottura, è possibile ridurre la rumorosità percepita, mantenendo sempre altissime performance nell'aspirazione. Esistono varie soluzioni: motori installabili all'esterno, a parete o tetto, all'interno dell'abitazione o addirittura da nascondere nello zoccolo del mobile da cucina.

By using the Remote blowers, which can be placed away from the cooking area, it is possible to reduce the noise heard, keeping at the same time high performances in aspiration. There are different solutions: external motors to be installed outside the house on the wall or on roof, inside the house or also in the plinth of the kitchen cabinet.

636 - external



### Features



**Airflow**  
1400 m<sup>3</sup>/h  
**Pressure**  
650 Pa  
**Noise level**  
74 Iw[dba]  
**Motor power**  
190 W  
**Inlet/Outlet**  
Ø 150 mm

### Accessories

**Kit tetto piatto**  
Flat roof kit  
K0636KIT.2

### Finish

Acciaio inox satinato  
Stainless steel satin



### Model

636 EXTERNAL

### Code

K0636CEEC1

6326 - external



### Features



**Airflow**  
2000 m<sup>3</sup>/h  
**Pressure**  
1000 Pa  
**Noise level**  
79 Iw[dba]  
**Motor power**  
500 W  
**Inlet/Outlet**  
Ø 200 mm

### Accessories

**Kit tetto piatto**  
Flat roof kit  
K0636KIT.2

### Finish

Acciaio inox satinato  
Stainless steel satin



### Model

6326 EXTERNAL

### Code

K06326CEEC

## 27 - internal




## Features

**Airflow**  
1300 m<sup>3</sup>/h  
**Pressure**  
620 Pa  
**Noise level**  
55 Iw[dba]  
**Motor power**  
450 W  
**Inlet/Outlet**  
Ø 150/200 mm

## Finish



Acciaio inox satinato  
Stainless steel satin



Model	Code
27 INTERNAL	K0027CEIC

## 694 - internal




## Features

**Airflow**  
1000 m<sup>3</sup>/h  
**Pressure**  
480 Pa  
**Noise level**  
66 Iw[dba]  
**Motor power**  
145 W  
**Inlet/Outlet**  
Ø 150/220x90 mm

## Finish



Ferro verniciato bianco  
Metal sheet white



Model	Code
694 INTERNAL	K0694CEIC

## 6153 - plinth




## Features

**Airflow**  
1400 m<sup>3</sup>/h  
**Pressure**  
650 Pa  
**Noise level**  
75 Iw[dba]  
**Motor power**  
190 W  
**Inlet/Outlet**  
Ø 150/220x90 mm

## Finish



Acciaio inox satinato  
Stainless steel satin



Model	Code
6153 PLINTH	K06153CEIC

# Accessori Accessories

## Radiocomando Remote control



**R01319006**  
**Radiocomando** Remote control

Con il suo design, sottile e leggero, consente di attivare a distanza tutte le funzioni della cappa. E' fornito di serie su alcuni modelli e su altri può essere acquistato separatamente.

With its design, thin and light, it allows to activate all the functions at distance. On some models it is delivered with the hoods, on other models it can be purchased separately.




**RAK2534602**  
**Porta radiocomando** Remote holder

In acciaio verniciato nero, semplice da installare a parete e pratico per riporre il proprio telecomando in modo ordinato e senza rischio di perderlo. E' fornito su richiesta.

It is in painted black steel, easy to be installed to the wall and very useful to hold the remote in an orderly manner avoiding the risk to loose it. It is available on request.


# Filtri al plasma Plasma filters



FIM - AIRWORKS




R09030530  
Filtro al plasma cilindrico  
Cylindrical plasma filter




R09030532  
Filtro al plasma integrato nel pensile  
Built-in plasma filter



ACCESSORIES




R09030531  
Filtro al plasma da zoccolo  
Plinth plasma filter




## Kit filtrante a soffitto Ceiling filtering kit

**Features**

**Size**  
45 cm  
**Inlet**  
Ø 150 mm

**Accessories**


**Filtro a carbone piatto**  
Flat charcoal filter  
RAK25046243



**Filtro incluso nel kit filtrante**  
Filter included in the filtering kit

**Finish**

Bianco opaco / Nero opaco  
Matt white / Matt black




**Model**  
CEILING FILTERING KIT

**Code**  
KKIT003CF


## Kit filtrante da zoccolo Plinth filtering kit

**Features**

**Size**  
H 60 mm  
**Inlet**  
220x90 mm

**Accessories**



**Filtro long life**  
Long life filter  
RAK2535499  
**Filtro ceramico**  
Ceramic filter  
RAK2535498



**Filtro incluso nel kit filtrante**  
Filter included in the filtering kit

**Finish**

Acciaio inox satinato  
Stainless steel satin




<b>Model</b>	<b>Code</b>
LONG LIFE PLINTH FILTERING KIT	K06395KITF1
PLINTH CERAMIC FILTERING KIT	K06395KITF2


## Kit filtrante ceramico integrato nel pensile Built-in ceramic filtering kit

**Features**

**Size**  
26 cm  
**Inlet**  
Ø 150 mm

**Accessories**

**Filtro ceramico**  
Ceramic filter  
RAK2535020



**Filtro incluso nel kit filtrante**  
Filter included in the filtering kit

**Acabados**



Acciaio inox satinato  
Stainless steel satin




<b>Model</b>	<b>Code</b>
BUILT-IN CERAMIC FILTERING KIT	K06314KITF

# Filtri Filters

FIM - AIRWORKS



L'uso dei filtri carbone riduce l'aspirazione dal 15 al 35%.  
The use of carbon filters reduces suction by 15 to 35%.




## Kit filtrante long life Long life filtering kit K04008KITF.2

I filtri possono essere lavati e rigenerati ogni 3-4 mesi più frequentemente se la cappa è sottoposta a un uso intensivo), fino a un massimo di 8 cicli di rigenerazione (in caso d'uso particolarmente intensivo si raccomanda di non superare i 5 cicli). Lavare in lavastoviglie a una temperatura MAX di 70° o lavare a mano in acqua calda senza usare spugne abrasive (non usare detergenti!). Asciugare in forno a una temperatura MAX di 70° per 2 ore.

The anti-odour filter can be washed and regenerated every 3-4 months (or more frequently if the hood is subject to intensive use), up to a MAX. of 8 regeneration cycles (in case of particularly intensive use it is recommended that you do not exceed 5 cycles). Wash in the dishwasher at a MAX temperature of 70° or hand wash in hot water without using abrasive sponges (do not use detergents!). Dry in the oven at a MAX temperature of 70° for 2 hours.

### TOLOMEO



## Coppia filtro long life rotondo Pair round long life filter R55046221

Filtri rigenerabili prodotti da estrusione di origine minerale, che può essere lavato e rigenerato ogni 3-4 mesi fino a un massimo di 8 cicli di rigenerazione.

Regenerable filters produced by extrusion of mineral origin, which can be washed and regenerated every 3-4 months up to a maximum of 8 regeneration cycles.

**LEO ISLAND**  
**CIRCINUS**  
**ALDEBARAN**  
**CANOPO AIRMATE**  
**CANOPO PLUS**  
**CANOPO**  
**AVIOR**

**SHEDIR**  
**HADAR**  
**REGOLO**  
**PICTOR**  
**LEO**  
**TUCANA**


## Filtro carbone long life Long life filter

Filtro rigenerabile in schiuma poliuretanica, ricoperto da carboni attivi granulari inseriti in calza nera di poliammide (Nylon). Raggiunge una riduzione degli odori del 60%. E' possibile rigenerare il filtro ogni 2-3 mesi lavandolo in lavastoviglie o a mano e prima di riutilizzarlo asciugarlo in forno a 60°C per 60 minuti. Sostituirlo ogni 2-3 anni.

Regenerable charcoal filter composed of polyurethane foam covered with granular active carbon inserted into a polyamide sock (Nylon). It reaches an odor reduction of 60%. It is possible to regenerate the filter each 2-3 months washing it in the dishwasher or by hand. Before re-using it, dry it in the oven at 60°C for 60 minutes. Replace it with a new one each 2-3 years.

**COPERNICO**  
**KEPLERO**  
**LAGRANGE**  
**NEWTON**  
**BOOTE PLUS ISLAND**  
**ORION**  
**URSA**

**URSA STRIP**  
**URSA GLASS**  
**URSA GLASS STRIP**  
**SCUTUM**  
**PEGASUS**  
**DORADO**  
**CENTAURUS**



## Filtro carbone rettangolare Rectangular charcoal filter R55046266

### Coppia Pair R55046266D

Filtro a schiuma reticolata ad alta efficienza che raggiunge una riduzione degli odori del 90%. Sostituirlo ogni 4-6 mesi.


Filter reticulated foam with a high efficiency, granting an odour reduction of 90%. Replace it each 4-6 months.

**OFLUO ISLAND**  
**ARA**  
**PERSEUS**  
**PAVO**  
**PYXIS ISLAND**  
**PYXIS PLUS ISLAND**


**TAURUS**  
**OFLUO**  
**NORMA**  
**PYXIS**  
**PYXIS PLUS**



R55046244



R55046241



**Filtro carbone cilindrico**  
Cylindrical charcoal filter  
**R55046244**  
**R55046241**

Filtro con carbone granulare di elevata qualità ed alta efficienza che raggiunge una riduzione degli odori del 90%. Sostituirlo ogni 12-18 mesi.

Filter with a high quality and efficiency granular charcoal, granting an odour reduction of 90%. Replace it each 12-18 months.

**OIFIUCO ISLAND**  
**ARA**  
**PERSEUS**  
**PAVO**  
**AQUILA ISLAND**  
**PYXIS ISLAND**  
**PYXIS PLUS ISLAND**  
**BOOTE PLUS ISLAND**  
**NORMA ISLAND**  
**SAGITTA**


**IOVEM**  
**HERCULES ISLAND**  
**TAURUS**  
**OIFIUCO**  
**NORMA**  
**AQUILA**  
**PYXIS**  
**PYXIS PLUS**  
**MONOCEROS**  
**HERCULES**



RAK2535020

RAK2535498

RAK2534983



**Filtro ceramico**  
Ceramic filter  
**RAK2535020**  
**RAK2535498**  
**RAK2534983**

Innovativo filtro carbone modulare che raggiunge una riduzione degli odori dell'80%. E' possibile rigenerare il filtro ogni 3-4 mesi fino a che risulta integro, collocandolo nel forno alla temperatura di 150-180°C per 1-2 ore facendo attenzione a non coprire le 2 superfici di passaggio dell'aria.

Innovative modular charcoal filter with odor reduction of 80%. It is possible to regenerate the filter each 3-4 months until it stays intact. You have to place it in the oven at a temperature of 150-180°C for 1-2 hours, paying attention not to cover the surfaces where the air is going through.

**COPERNICO**  
**KEPLERO**  
**LAGRANGE**  
**NEWTON**  
**VOLANS**  
**POLLUCE**



**Filtro carbone da piano**  
Base charcoal filter  
**R55046232**

Filtro con carbone granulare di elevata qualità ed alta efficienza che raggiunge una riduzione degli odori del 90%. Sostituirlo ogni 12-18 mesi.

Filter with a high quality and efficiency granular charcoal, granting an odour reduction of 90%. Replace it each 12-18 months.

**SCULPTOR ISLAND**  
**SCULPTOR**  
**APUS**



**Filtro carbone piatto**  
Flat charcoal filter  
**R55046223**

Filtro con carbone attivo prodotto da estrusione di origine minerale. Sostituirlo ogni 4-5 mesi.  
Filter with active charcoal produced by extrusion of mineral origin. Replace it each 4-5 months.



**55046223**

Raggiunge una riduzione degli odori del 60%.  
Granting an odour reduction of 60%.

**55046242**


Raggiunge una riduzione degli odori del 75%.  
Granting an odour reduction of 75%.

**VOLANS**  
**CASTORE**




# Accessori di uscita aria

## Air duct accessories




**Kit tubo corrugato + fascette**  
Extendable hose + clamps

225-750+Ø 120 mm	RAk2600036
450-1500+Ø 120 mm	RAk2600037
225-750+Ø 150 mm	RAk2600038
450-1500+Ø 150 mm	RAk2600039




**Tubo circolare**  
Circular pipe

Ø 125x1000 mm	R06011045
Ø 125x1200 mm	R06011046
Ø 150x1000 mm	R06011032
Ø 150x1200 mm	R06011033




**Tubo rettangolare**  
Rectangular pipe

150x70x1000 mm	R06011043
150x70x1200 mm	R06011044
220x90x1000 mm	R06011030
220x90x1200 mm	R06011031




**Giunzione circolare**  
Circular junction

Ø 150x35 mm	R09010138
Ø 125x52 mm	R06011047
Ø 150x42 mm	R06011034




**Curva rettangolare 90° verticale**  
Rectangular curve 90° vertical

150x70 mm	R06011052
220x90 mm	R06011039




**Curva rettangolare 90° orizzontale**  
Rectangular curve 90° horizontal

150x70 mm	R06011053
220x90 mm	R06011040




**Giunzione circolare-rettangolare**  
Circular-rectangular junction

Ø 125-150x70 mm	R06011050
Ø 150-220x90 mm	R06011037




**Giunzione rettangolare**  
Rectangular junction

150x70 mm	R06011051
220x90 mm	R06011038
227x94 mm	R06011059




**Curva rettangolare 90° verticale**  
Rectangular curve 90° vertical

150x70 mm	R06011052
220x90 mm	R06011039




**Curva rettangolare 90° orizzontale**  
Rectangular curve 90° horizontal

150x70 mm	R06011053
220x90 mm	R06011040



**2 staffe fermatubo circolari**  
2 circular brackets to fix

Ø 125 mm	R06011055
Ø 150 mm	R06011042






**2 staffe fermatubo rettangolari**  
2 rectangular brackets to fix

150x70 mm	R06011054
220x90 mm	R06011041

# Installazione

## Installation




### **Versione**

La maggior parte dei modelli sono utilizzabili nelle due versioni: aspirante o filtrante. La cappa aspirante ha il compito di prelevare l'aria contenente grassi, fumi ed odori scaricandola verso l'esterno dell'abitazione. La cappa filtrante depura l'aria contenente grassi, fumi ed odori attraverso filtri a carboni attivi e la reimmette nell'ambiente. Nel caso in cui non sia possibile utilizzare la cappa nella modalità aspirante è possibile renderla filtrante mediante l'utilizzo del kit filtrante contenente deflettore e filtro carbone. Si raccomanda di osservare sempre le normative nazionali vigenti.


### **Version**

Most of the models can be used in the 2 versions: suction use and filtering use. The suction hood use must extract air with grease, fumes and vapours from the inside environment and then must expel them outside. A filtering hood purifies the air with grease, fumes and vapours by means of carbon filters and then emits the purified air into the same environment. When it is not possible to use the hood in the suction use, then it is possible to make the hood filtering with a filtering kit composed of deflector and carbon filter. We recommend to always take care of the national valid norms.



### **Distanze**

Le cappe d'arredo vanno installate ad una distanza minima di 500 mm dai piani cottura elettrici e di 650 mm da quelli a gas. Sono progettate per essere collegate ad una tubazione avente diametro 150 mm, tuttavia per particolari esigenze, viene fornito un riduttore di diametro che consente anche di utilizzare condutture di diametro 120 mm. In linea di principio bisogna tenere conto che la portata della cappa diminuisce all'aumentare della lunghezza della conduttura, all'aumentare del numero delle curve utilizzate ed al diminuire della sezione del tubo. Si consiglia pertanto di minimizzare la lunghezza della conduttura di evacuazione, di evitare installazioni con molte curve e di utilizzare tubi di diametro 150 mm.



### **Filtri antigrasso**

I filtri sono costituiti da un telaio metallico contenente tipicamente 10 reti in alluminio che consentono una ottima raccolta dei grassi presenti nei vapori di cottura. I filtri antigrasso vanno mantenuti puliti lavandoli periodicamente a mano o in lavastoviglie.

### **Distances**

The design cooker hoods must be installed at a minimum distance of 500 mm from the electric hobs and 650 mm from the gas hobs. They are conceived to be connected to a pipe with a diameter of 150 mm, anyway in front of possible special needs we supply them with a reducer that allows also to use connection to pipe with diameter of 120 mm. As a principle you can consider that the air delivery of the hood decreases with the length of the pipe, or with the number of the curves, or with the reduction of the pipe section. We strongly advice to keep the length of the pipe as short as possible, to avoid installation with many curves and to use pipes with 150 mm diameter.

# Contacts

Sil Fim srl  
Via Fontedamo 26  
60035 Jesi (AN) Italy  
T. +39 0731 61591  
F. +39 0731 606107  
info@silfim.com  
www.fimhoods.com

Hai bisogno di maggiori informazioni?  
Do you need more information?

Numero Verde  
**800 673 448**

Valido solo per l'Italia  
Valid only for Italy



**Art director and  
graphic design**

Tonidigrigio

**Photo**

Maurizio Paradisi

Andrea Barchiesi

([www.naturaliimpressioni.it](http://www.naturaliimpressioni.it))

**Artwork**

Nicola Aureli

Questo catalogo è di proprietà della Sil Fim srl.  
Tutti i diritti riservati. È vietata qualsiasi forma  
di riproduzione, anche parziale.

In una prospettiva di continuo miglioramento  
dei propri prodotti, Sil Fim si riserva il diritto  
di apportare modifiche anche senza preavviso.

This catalogue is of exclusive proprietà of Sil  
Fim srl. All rights are reserved. Any form of total  
or partial reproduction of catalogue is strictly  
forbidden. In a continuous process of product  
improvement, Sil Fim reserves the right to  
make changes without notice.

Follow us on



SilFim

[www.fimhoods.com](http://www.fimhoods.com)